

邁高達科技有限公司
 Microtech Technology Co.,Ltd.
 香港新界粉嶺安居街18號安興工業中心5/F樓 505 室
 Unit 505,5/F,On Hing Industrial Center,
 18 On Kui Street, Fanling,N.T.,HongKong
 電話 Tel: (852) 3521 0311 傳真 Fax: (852) 3523 0449
 電郵 E-mail: info@microtech-lcd.com
 Website: www.microtech-lcd.com

LCD Modules Selection Guide

深圳市邁高達科技有限公司
 ShenZhen Microtech Technology Co., Ltd.
 深圳市民治街道沙吓村沙吓工业园11栋4楼
 4/F, Block 11, Shaxia Industrial Park
 LongHua Town, ShenZhen City, Guang Dong
 Province,China.
 Tel:(86-755) 8372 5193 8372 5037 (Ext.808)
 Fax:(86-755) 8372 3887

| TFT LCM Product List | | | | | | | | |
|----------------------|--------------|-----------------|------------|-------------------|---------------|--------------|------------------------------|------------|
| Size | Display Mode | Part No. | Resolution | Outline Dimension | Active Area | INTERFACE | Remark | |
| 0.96" | | MTF0096NF-01A | 160*80 | 13.3*27.95*1.45 | 10.8*21.7 | SPI | ST7735S, 13 PIN | TFT |
| 1.14" | TFT | MTF011CF01A-V1 | 135*240 | 17.60*31.00*1.62 | 14.86*24.91 | 4L-SPI | JD9851;13PIN | IPS |
| 1.22" | TFT | MTF012QV01A -V1 | 240*204 | 33.66*33.02*1.30 | φ30.96 | SPI | ST7789H2;12PIN | IPS |
| 1.3" | TFT | MTF013A-05 | 240*240 | 29.15*26*1.5 | 23.4*23.4 | SPI | ST7789H2;24PIN/B2B | IPS |
| | | MTF013A-19 | 240*240 | 29.85*27*1.65 | 23.4*23.4 | SPI | ST7789H2;24PIN/B2B | IPS |
| | | MTF013A013-A2 | 240*240 | 29.85*27*1.65 | 23.4*23.4 | SPI | ST7789H2;24PIN/B2B | IPS |
| | | MTF013QV01A-V1 | 240*240 | 35.5*38.23*1.41 | 32.4*32.4 | SPI | ST7789H2;12PIN | IPS |
| | | MTF013QV02A-V1 | 240*240 | 26.0*29.15*2.05 | 23.4*23.4 | 4L-SPI | ST7789V;12PIN | TN |
| 1.40" | TFT | MTF139BLN01.0 | 400*400 | 40.5*38.6*0.7 | 35.4mm Diamtr | MIPI | FPC:24pin | Circle |
| | | MTF014ZE-02A | 400*400 | 38.6*40.5*0.7 | 35.4mm Diamtr | MIPI | IC:TPS65631W FPC:24pin | Circle |
| 1.44" | TFT | MTF0144SN-06 | 128*128 | 32.36*38*2.5 | 25.49*26.5 | MCU(P/S) | IC:ILI9163C FPC: 29 pin CTP | **** |
| | | MTF0144SN-07 | 128*128 | 29.5*36.5*2.2 | 25.49*26.5 | MCU(P) | IC:ST7735S FPC: 23 pin CTP | **** |
| | | MTF0144SN-08 | 128*128 | 29.5*36.5*2.2 | 25.49*26.5 | MCU(S) | IC:ST7735S FPC: 12 pin CTP | **** |
| | | MTF0144SN-09 | 128*128 | 29.8*34.6*2.2 | 25.49*26.5 | MCU(P) | IC:ST7735S FPC: 23pin CTP | **** |
| | | MTF0144SN-11 | 128*128 | 29.8*34.6*2.2 | 25.49*26.5 | MCU(P) | IC:ST7735S FPC: 20pin CTP | **** |
| 1.50" | TFT | MTF015A009 | 240*240 | 35*31.5*1.98 | 27.72*27.72 | 3L-SPI-2LINE | GC9305/15PIN | PCAP1.50 |
| 1.77" | TFT | MTF0177SN-07 | 128*160 | 34.0*43.8*2.4 | 28.03*35.04 | MCU(P) | IC:ST7735S FPC:20pin | MP |
| | | MTF0177SN-10 | 128*160 | 34.0*43.8*2.4 | 28.03*35.04 | MCU(S) | IC:ILI9163C FPC:14pin | MP |
| | | MTF0177SN-13 | 128*160 | 34.0*43.8*2.4 | 28.03*35.04 | MCU(P/S) | IC:ILI9163C FPC:20pin | MP |
| | | MTF0177SN-14 | 128*160 | 34.0*43.8*2.4 | 28.03*35.04 | MCU(P/S) | IC:ILI9163C FPC:25pin | **** |
| | | MTF0177SN-16 | 128*160 | 34.0*43.8*2.4 | 28.03*35.04 | MCU(S) | IC:ILI9163C FPC:14pin | **** |
| | | MTF0177SN-17 | 128*160 | 34.0*43.8*2.4 | 28.03*35.04 | MCU(P) | IC:ST7735S FPC:20pin | **** |
| | | MTF0177SN-18 | 128*160 | 34.0*43.8*2.4 | 28.03*35.04 | MCU(S) | IC:ST7735S FPC:14pin | **** |
| | | MTF0177SN-19 | 128*160 | 34.0*43.8*2.4 | 28.03*35.04 | MCU(S) | IC:ST7735S FPC:14pin | **** |
| | | MTF0177SN-20 | 128*160 | 34.0*43.8*2.4 | 28.03*35.04 | MCU(S) | IC:ILI9163C FPC:20pin | (800 Nits) |
| | | MTF0177SN-21 | 128*160 | 34.0*43.8*2.4 | 28.03*35.04 | MCU(S) | IC:ST7735S FPC:20pin | |
| | | MTF0177SN-22 | 128*160 | 34.0*43.8*2.4 | 28.03*35.04 | MCU(P) | IC:ST7735S FPC:20pin | |
| 2.0" | TFT | MTF0200CT-13 | 176*220 | 41.5*49.1*2.55 | 31.68*39.6 | MCU(P) | IC: ILI9225G FPC:37PIN + RTP | *** |
| | | MTF0200QN-12 | 240*320 | 35.70*51.00*2.3 | 30.60*40.80 | MCU(P) | IC: HX8347D; 40 PIN | |
| 2.2" | TFT | MTF0220CN-08 | 176*220 | 42.1*56.60*4.2 | 34.85*43.56 | MCU(P) | IC:ILI9225C FPC:35PIN | *** |
| | | MTF0220CMIL-03 | 240*320 | 42.7*59.46*3.70 | 33.48*44.64 | MCU(P) | ILI9320, 37 PIN | |
| 2.4" | TFT | MTF0240QT-05 | 320*240 | 55.16*48.49*2.4 | 48.96*36.72 | MCU(P)&RGB | IC :ILI9342 FPC:40PIN + RTP | *** |
| | | MTF0240CMIL-06 | 240*320 | 42.72*60.26*2.6 | 36.72*48.96 | MCU(P) | IC :ILI9341 FPC:24PIN | ***** |
| | | MTF2D4139_A0 | 240*320 | 42.72*60.26*2.60 | 36.72*48.96 | MCU(P) | IC :ST7789 FPC:24PIN | ***** |
| | | MTF0240QT-14 | 240*320 | 42.72*60.26*2.60 | 36.72*48.96 | MCU(P)&RGB | IC :ILI9341 FPC:40PIN | ***** |
| | | MTF0240QN-13 | 320*240 | 55.16*48.49*2.4 | 48.96*36.72 | MCU(S) | IC :ILI9342 FPC:20PIN | ***** |
| | | MTF0240QT-15 | 240*320 | 42.72*58.9*2.20 | 36.72*48.96 | MCU(P)&RGB | IC :ILI9341v FPC:45PIN | ***** |
| | | MTF0240QT-16 | 240*320 | 42.72*58.9*2.20 | 36.72*48.96 | MCU(P) | IC :ILI9341v FPC:40PIN | ***** |
| | | MTF0240QTI-17 | 240*320 | 42.72*59.45*2.20 | 36.72*48.96 | MCU(P)&RGB | IC :ILI9341v FPC:40PIN | IPS |
| | | MTF0240QT-18 | 240*320 | 42.72*59.45*2.20 | 36.72*48.96 | MCU(P) | IC :ILI9341v FPC:24PIN | MP |
| | | MTF0240QTI-20 | 240*320 | 42.72*59.45*2.20 | 36.72*48.96 | MCU(P) | IC :ST7789v FPC:25PIN | IPS |
| | | MTF0240QV36A-V1 | 240*320 | 42.72*60.26*202 | 36.72*48.96 | RGB | IC :ILI9341v FPC:45PIN | |

邁高達科技有限公司
 Microtech Technology Co.,Ltd.
 香港新界粉嶺安樂街18號安興工業中心5/F樓 505 室
 Unit 505,5/F,On Hing Industrial Center,
 18 On Kui Street, Fanling,N.T.,HongKong
 電話 Tel: (852) 3521 0311 傳真 Fax: (852) 3523 0449
 電郵 E-mail: info@microtech-lcd.com
 Website: www.microtech-lcd.com


**LCD Modules
 Selection Guide**

深圳市邁高達科技有限公司
 ShenZhen Microtech Technology Co., Ltd.
 深圳市民治街道沙吓村沙吓工业园11栋4楼
 4/F, Block 11, Shaxia Industrial Park
 LongHua Town, ShenZhen City, Guang Dong
 Province,China.
 Tel:(86-755) 8372 5193 8372 5037 (Ext.808)
 Fax:(86-755) 8372 3887

TFT LCM Product List

| Size | Display Mode | Part No. | Resolution | Outline Dimension | Active Area | INTERFACE | Remark | |
|---------------|--------------|------------------|------------|-------------------|-----------------------|------------|----------------------------------|------------|
| 2.4" | TFT | MTF0240QN-21 | 320*240 | 55.16*48.49*2.4 | 51.8*40.29 | RGB | NT35706 | DEVE |
| | | MTF0240QT-22 | 240*320 | 42.72*59.45*2.20 | 36.72*48.96 | MCU(P) | IC :LI9341v FPC:36PIN | |
| | | MTF0240QT-23 | 240*320 | 42.72*59.45*2.20 | 36.72*48.96 | MCU(s) | IC :ST7789v FPC:40PIN | |
| | | MTF0240QT-24 | 240*320 | 42.72*60.26*2.20 | 36.72*48.96 | MCU(P) | IC :ST7789v FPC:30PIN | |
| | | MTF0240QT-26 | 240*320 | 42.72*60.26*2.20 | 36.72*48.96 | MCU(S) | IC :ST7789v FPC:8PIN | |
| | | MTF0240QT-27 | 320*240 | 55.16*48.49*2.4 | 48.20*36.20 | RGB-18BIN | IC :LI9342 FPC:39PIN | |
| | | MTF0240QT-28 | 240*320 | 42.72*58.92*3.5 | 36.72*48.96 | MCU(P) | IC :ST7789v FPC:24PIN+ RTP | |
| | | MTF0240QT-29 | 240*320 | 42.72*58.90*2.20 | 36.72*48.96 | MCU(S) | IC :ST7789v FPC:18PIN | |
| | | MTF0240QV33A-V1 | 240*320 | 42.72*58.90*2.20 | 36.72*48.96 | MCU(S) | IC :ST7789v FPC:40PIN | MP |
| 2.5" | TFT | MTF025SV01A-V1 | 480*480 | 69.19*71.74*2.45 | 62.64 *62.64 | MIPI | IC :ST7789v FPC:35PIN | |
| 2.8" | TFT | MTF0280QT-14 | 240*320 | 50.0*69.2*2.45 | 43.20*57.6 | MCU(P) | IC:ILI9341V FPC:36PIN + C/RTP | MP |
| | | MTF0280QT-17 | 240 *320 | 50.0*69.2*2.45 | 43.20*57.6 | RGB | IC:ILI9341V FPC:36PIN +C/ RTP | MP |
| | | MTF0280QT-18 | 240*320 | 50.0*69.2*2.45 | 43.20*57.6 | MCU(P) | IC:ILI9341V FPC:37PIN +C/ RTP | MP |
| | | MTF0280QT-30 | 240*320 | 50.0*69.2*2.45 | 43.20*57.6 | MCU(P) | IC:ILI9341V FPC:37PIN +C/ RTP | MP |
| | | MTF0280QT-31 | 240*320 | 50.0*69.2*2.55 | 43.20*57.6 | MCU(P) | IC:ILI9341V FPC:37PIN | (700 Nits) |
| | | MTF0280QT-32 | 240*320 | 50.0*69.2*2.45 | 43.20*57.6 | RGB | IC:ILI9341V FPC:50PIN | |
| | | MTF0280QT-33 | 240*320 | 50.0*69.2*2.45 | 43.20*57.6 | MCU(P) | IC:ST789V FPC:37PIN | |
| | | MTF0280QT-34 | 240*320 | 50.0*69.2*2.45 | 43.20*57.6 | MCU(P)&RGB | IC:ILI9341V FPC:50PIN | /w CTP |
| | | MTF0280QT-34B | 240*320 | 50.0*69.2*2.45 | 43.20*57.6 | MCU(P)&RGB | IC:ILI9341V FPC:50PIN | (700 Nits) |
| | | MTF0280QT-35 | 240*320 | 50.0*69.2*2.45 | 43.20*57.6 | MCU(P) | IC:ILI9341V FPC:40PIN | |
| | | MTF0280QT-36 | 240*320 | 50.0*69.2*2.45 | 43.20*57.6 | MCU(S) | IC:ST789V FPC:24PIN | |
| | | MTF0280QT-37 | 240*320 | 50.0*69.2*2.45 | 43.20*57.6 | MCU(P)&RGB | IC:ILI9341V FPC:51PIN | |
| | | MTF0280CMRS-15 | 240*400 | 43.22*74.8*2.4 | 36.72*61.2 | MCU | IC: ST7793 FPC: 40 PIN | |
| | | MTF0280QT-38 | 240*320 | 50.0*69.2*2.45 | 43.20*57.6 | MCU(P) | IC:ST789V FPC:24PIN | MP |
| | | MTF0280QT-39A | 240*320 | 50.0*69.2*2.32 | 43.20*57.6 | MCU(P) | IC:ST7789V FPC:30PIN | MP |
| | | MTF0280QNI41B-V1 | 240*320 | 50.0*69.2*2.32 | 43.20*57.6 | SPI(S) | IC:ST7789V FPC:15PIN | MP |
| | | MTF0280QN42A-V2 | 240*320 | 50.0*69.2*2.32 | 43.20*57.6 | SPI(S) | IC:ST7789V FPC:15PIN | MP |
| | | MTF0280QN-43A | 240*320 | 50.0*69.2*2.32 | 43.20*57.6 | MCU(S) | IC:ST7789V FPC:14PIN | MP |
| | | MTF0280QN-44A | 240*320 | 50.0*69.2*2.32 | 43.20*57.6 | MCU(P) | IC:ST7789V FPC:37PIN | MP |
| | | MTF0280QV46A-V1 | 240*320 | 50.0*69.2*2.32 | 43.20*57.6 | MCU(S) | IC:ILI9341V FPC:37PIN +C/ RTP | MP |
| MTF0280QN-47A | 240*320 | 50.0*69.2*2.32 | 43.20*57.6 | MCU(S) | IC:ILI9341V FPC:40PIN | MP | | |
| 3.0" | TFT | MTF0300HDRS-04 | 240*400 | 45.04*77.00*2.60 | 39.28*65.4 | MCU(P) | IC:R61509V/ST7793 FPC:30PIN+ RTP | ***** |
| | | MTF0300WT-06 | 240*400 | 45.04*76.90*2.60 | 39.28*65.4 | MCU(P) | IC:R61509V/ST7793 FPC:40PIN | ***** |
| | | MTF0300CPIL-08 | 960*240 | 43.44*74.79*2.60 | 36.84*65.52 | SPI 8 BIT | IC:ILI8961 FPC:40PIN | MP |
| | | MTF0300WT-09 | 240*400 | 45.04*76.70*2.35 | 38.88*64.8 | MCU(P) | IC:R61525/ILI9327 FPC:36PIN | ***** |
| 3.2" | TFT | MTF0320CMIL-04 | 240*320 | 55.04*77.20*2.50 | 48.6*64.8 | MCU(P) | IC:ILI9341 FPC:37PIN +C/ RTP | **** |
| | | MTF0320CMIL-06 | 240*320 | 55.04*77.20*2.50 | 48.6*64.8 | MCU(P)&RGB | IC:ILI9341 FPC:40PIN +C/ RTP | ***** |
| | | MTF0320QT-08 | 240*320 | 55.44*77.60*3.0 | 48.6*64.8 | MCU(P) | IC:ILI9341 FPC:40PIN +C/ RTP | **** |
| | | MTF0320QT-09 | 240*320 | 55.04*77.20*2.45 | 48.6*64.8 | MCU(P) | IC:ILI9341V FPC:39PIN + RTP | ***** |
| | | MTF0320WT-11 | 240*400 | 47.5*80.7*2.4 | 41.76*69.6 | MCU | ST7793+RTP | |
| | | MTF0320QT-10 | 240*320 | 55.04*77.20*2.50 | 48.6*64.8 | MCU(P)&RGB | IC:ILI9341 FPC:40PIN +C/ RTP | ***** |
| | | MTF0320QT-12 | 240*320 | 55.04*77.20*2.50 | 48.6*64.8 | MCU(P) | IC:ILI9341 FPC:40PIN +C/ RTP | ***** |

邁高達科技有限公司
 Microtech Technology Co.,Ltd.
 香港新界粉嶺安厝街18號安興工業中心5/F樓 505 室
 Unit 505,5/F,On Hing Industrial Center,
 18 On Kui Street, Fanling,N.T.,HongKong
 電話 Tel: (852) 3521 0311 傳真 Fax: (852) 3523 0449
 電郵 E-mail: info@microtech-lcd.com
 Website: www.microtech-lcd.com




深圳市邁高達科技有限公司
 ShenZhen Microtech Technology Co., Ltd.
 深圳市民治街道沙吓村沙吓工业园11栋4樓
 4/F, Block 11, Shaxia Industrial Park
 LongHua Town, ShenZhen City, Guang Dong
 Province,China.
 Tel:(86-755) 8372 5193 8372 5037 (Ext.808)
 Fax:(86-755) 8372 3887

TFT LCM Product List

| Size | Display Mode | Part No. | Resolution | Outline Dimension | Active Area | INTERFACE | Remark |
|--------------|--------------|------------------|-------------|--------------------|----------------------------------|------------|------------------------------------|
| 3.4" | TFT | MTF034XVZ01 | 800*800 | 99.0 x 96.6 x 3.98 | 87.6*87.6 | MIPI | ILI9881C,39PIN, HX8526 |
| | | MTF03400AR39A | 800*800 | 99.0 x 96.6 x 3.98 | 87.6*87.6 | MIPI | ILI9881C,39PIN |
| 3.5" | TFT | MTF0350CMHX-05 | 320*240 | 76.9*63.9*2.95 | 70.08*52.56 | RGB | IC:H*8238D FPC:54PIN + R/CTP ***** |
| | | MTF0350HT-06 | 320*480 | 54.66*82.94*2.30 | 48.96*73.44 | MCU(P)&RGB | IC:ILI9488 FPC:40PIN + R/CTP ***** |
| | | MTF0350QT-11 | 320*240 | 76.9*63.9*2.95 | 70.08*52.56 | RGB | IC:H*8238D FPC:60PIN + R/CTP *** |
| | | MTF0350HT-12 | 320*480 | 54.66*82.94*2.30 | 48.96*73.44 | MCU(P)&RGB | IC:ILI9488 FPC:40PIN + R/CTP ***** |
| | | MTF0350QT-14 | 320*240 | 76.9*63.9*3.3 | 70.08*52.56 | RGB | IC:H*8238D FPC:50PIN ***** |
| | | MTF0350HT-15 | 320*480 | 54.66*82.94*2.30 | 48.96*73.44 | MCU(P)&RGB | IC:ILI9488 FPC:50PIN + R/CTP ***** |
| | | MTF0350QHD-16 | 640*960 | 54.8*82.9*1.62 | 49.2*74.88 | MIPI | IC:HX8349:30PIN IPS |
| | | MTF0350QT-17 | 320*240 | 76.9*63.9*3.3 | 70.08*52.56 | RGB | IC:HX8238D FPC:40PIN ***** |
| | | MTF0350HT-18 | 320*480 | 54.66*82.94*2.30 | 48.96*73.44 | MCU(P)&RGB | IC:ILI9488 FPC:45PIN + R/CTP ***** |
| | | MTF0350QT-19 | 320*240 | 76.9*63.9*3.3 | 70.08*52.56 | RGB | IC:HX8238D FPC:54PIN ***** |
| | | MTF0350HT-21 | 320*480 | 54.66*82.94*2.30 | 48.96*73.44 | RGB | IC:ILI9488 FPC:40PIN + CTP ***** |
| | | MTF0350QTI-22 | 320*240 | 76.9*63.9*2.95 | 70.08*52.56 | RGB | IC:ST7272A FPC:54PIN + R/CTP IPS |
| | | MTF0350QDI-23 | 640*960 | 54.8*82.9*1.62 | 49.2*74.88 | MIPI | IC:R901-4 25PIN ***** |
| | | MTF0350QV01 | 240*320 | 63.0*85.0*3.0 | 53.28*71.04 | RGB | ST7512/ILI99325C+GP, Mono TFT |
| | | MTF0350CPHX-26 | 320*240 | 76.9*63.9*3.3 | 70.08*52.56 | RGB | IC:H*8238D FPC:54PIN + R/CTP ***** |
| | | MTF035G8-40TC-02 | 480*272 | 86.8*565*3.95 | 77.76*43.52 | RGB | OTA5180A FPC: 40 PIN |
| | | MTF0350HT-27 | 320*480 | 54.5*83*2.1 | 48.96*73.44 | MCU(P)&RGB | IC:ILI9488 FPC:40PIN + R/CTP MP |
| | | MTF0350QT-28A | 320*240 | 76.84*63.84*3.15 | 70.08*52.58 | MCU(P)&RGB | IC:SSD2119 FPC:50PIN TN |
| MTF0350HT-29 | 320*480 | 54.5*83*2.1 | 48.96*73.44 | MCU(P)&RGB | IC:ILI9488 FPC:40PIN + R/CTP CTC | | |
| MTF0350HT-30 | 320*480 | 54.5*83*2.1 | 48.96*73.44 | MCU(P)&RGB | IC:ILI9488 FPC:40PIN + R/CTP SIP | | |
| 3.95" | TFT | MTF039BO-40A | 128*480 | 60.88*94.57*2.3 | 55.68*83.52 | RGB | HX8357C |
| 3.95" | TFT | MTF039SWN1 | 320*480 | 60.88*94.57*2.3 | 55.68*83.52 | RGB | HX8357C |
| | | MTF0395SVN-01 | 480*480 | 77.0*88.0*2.3 | 71.86*70.18 | RGB | ST7701S ; 54PIN IPS |
| | | MTF0395SVN-02 | 480*480 | 77.0*88.0*2.3 | 71.86*70.18 | MIPI | ST7701S ; 30PIN IPS |
| 3.97" | TFT | MTF0397SWI-03 | 480*800 | 57.14*96.85*2.00 | 51.84 *86.40 | MCU(P)&RGB | ILI9806G FPC:50PIN |
| | | MTF0397SWI-04 | 480*800 | 57.14*96.85*2.00 | 51.84 *86.40 | MCU | ILI9806G FPC:32PIN IPS |
| | | MTF0397SWI-05 | 480*800 | 56.44*95.7*2.00 | 51.84 *86.40 | RGB | ILI9806G FPC:50PIN IPS |
| | | MTF0397SWI-06 | 480*800 | 57.14*96.85*2.00 | 51.84 *86.40 | MIPI | OTM8019A FPC:20PIN IPS |
| | | MTF0397SWI-07 | 480*800 | 56.44*95.7*2.00 | 51.84 *86.40 | MIPI | OTM8019A FPC:20PIN IPS |
| | | MTF0397SWV-08 | 480*800 | 56.44*95.7*2.00 | 51.84 *86.40 | RGB | ILI9806E FPC:51PIN |
| | | MTF0397SWI-09 | 480*800 | 56.44*95.7*2.00 | 51.84 *86.40 | MIPI | ILI9806E FPC:30PIN IPS |
| | | MTF0430CPSD-04 | 480*272 | 105.5*66.2*2.95 | 95.04*53.856 | RGB | IC:OTA5180A FPC:45PIN ***** |
| 4.3" | TFT | MTF0430WT-05 | 480*272 | 105.5*66.2*2.95 | 95.04*53.856 | RGB | ***** |
| | | MTF043056B0 | 480*272 | 105.5*66.2*2.95 | 95.04*53.85 | RGB | FPC:40PIN |
| | | MTF0430FWI-07 | 480*800 | 61.74*105.5*2.5 | 28.08*46.8 | RGB | NT35510 FPC: 40 PIN |
| | | MTF0430WTI-08 | 480*272 | 105.5*66.2*2.95 | 95.04*53.85 | Serial RGB | FPC:40PIN IPS |
| | | MTF043WT12A-V1 | 480*272 | 105.5*66.2*3.0 | 95.04*53.86 | RGB | 40PIN TN |
| | | MTF043WT13A-V1 | 480*270 | 105.5*67.2*3.0 | 95.04*53.86 | RGB | 45 PIN TN |
| | | MTF043WT14A-V1 | 480*270 | 105.5*67.2*3.0 | 95.04*53.86 | RGB | 40 PIN IPS |
| | | MTF043FWI10A-V1 | 480*800 | 61.90*104.9*2.0 | 56.16*93.60 | RGB | 40 PIN IPS |
| | | MTF043FWI-09B | 480*800 | 61.90*104.9*2.0 | 56.16*93.60 | MIPI | ILI9806E FPC:45PIN IPS |

邁高達科技有限公司
 Microtech Technology Co.,Ltd.
 香港新界粉嶺安厝街18號安興工業中心5/F樓 505 室
 Unit 505,5/F, On Hing Industrial Center,
 18 On Kui Street, Fanling,N.T.,HongKong
 電話 Tel: (852) 3521 0311 傳真 Fax: (852) 3523 0449
 電郵 E-mail: info@microtech-lcd.com
 Website: www.microtech-lcd.com



深圳市邁高達科技有限公司
 ShenZhen Microtech Technology Co., Ltd.
 深圳市民治街道沙吓村沙吓工业园11栋4楼
 4/F, Block 11, Shaxia Industrial Park
 LongHua Town, ShenZhen City, Guang Dong
 Province,China.
 Tel:(86-755) 8372 5193 8372 5037 (Ext.808)
 Fax:(86-755) 8372 3887

TFT LCM Product List

| Size | Display Mode | Part No. | Resolution | Outline Dimension | Active Area | INTERFACE | Remark | |
|-------|--------------|-----------------|------------|---------------------|----------------|------------|-----------------------|-------------|
| 4.3" | TFT | MTF0430WV10A-V1 | 480*272 | 105.5*66.2*2.95 | 95.04*53.85 | RGB | FPC:40PIN | IPS |
| | | MTF043FWI11A-V1 | 480*800 | 61.90*104.9*2.0 | 56.16*93.60 | RGB | FPC:45PIN | IPS |
| 4.5" | TFT | MTF0450FWN-01 | 480*854 | 60.0*109.0*2.2 | 55.44* 98.64 | MIPI | HX8379 25PIN | IPS |
| | | MTF0450FWI-02 | 480*854 | 60.0*109.0*2.2 | 55.44* 98.64 | MIPI | HX8379 25PIN | IPS |
| | | MTF0450QHI-03 | 540*960 | 60.0*109.0*2.0 | 55.52*98.7 | MIPI | OTM9605A 25PIN | IPS |
| | | MTF0450FWI-04 | 480*854 | 60.0*109.0*2.2 | 55.44 * 98.64 | MCU | ILI9806H 50 PIN | IPS |
| 4.5" | TFT | MTF0450FWI-05 | 480*854 | 60.0*109.0*1.8 | 55.44 * 98.64 | MIPI | ILI9806E 31 PIN | IPS |
| | | MTF0450FWI-06 | 480*854 | 60.0*109.0*1.85 | 55.52*98.7 | MCU(P)&RGB | HX8379C 50PIN | IPS |
| | | MTF0450QHI-07 | 540*960 | 60.0*109.0*1.85 | 55.52*98.7 | MIPI | HX8389B 25PIN | IPS |
| 4.63" | TFT | MTF0463WQ-01 | 272*480 | 63.4*113.28*2.0 | 57.60*102.48 | MCU | ILI9488 28 PIN | **** |
| 4.66" | TFT | MTF0466QHI-01 | 720*1280 | 61.9*114.3*1.65 | 58.10*103.29 | MIPI | OTM9605A | IPS |
| | | MTF0466HDI-02 | 720*1280 | 61.0*111.80*1.40 | 58.10*103.29 | MIPI | IC:OTM1283A 25PIN | IPS |
| 4.7" | TFT | MTF0470HDI-03 | 720*1280 | 61.9*113.6*1.77 | 58.10*103.29 | MIPI | IC:OTM1287A 25PIN | IPS |
| | | MTF0470HDI-04 | 720*1280 | 61.9*113.6*1.77 | 58.10*103.29 | MIPI | IC:OTM1287A 31PIN | IPS |
| 5.0" | TFT | MTF0500WT-08 | 480*272 | 120.7*75.10*3.0 | 110.8*62.83 | RGB | IC:ILI6480G 50PIN+RTP | **** |
| | | MTF050LC2445 | 480*272 | 120.70x75.80x3.0 | 110.88*62.832 | RGB | 40PIN R/CTP | **** |
| | | MTF050PA5SV1.0 | 800*480 | 120.7*75.80*3.1 | 108.0*64.80 | RGB | 40PIN R/CTP | **** |
| | | MTF0500FWI-19 | 480*854 | 65.20*119.3*1.85 | 61.56*109.5 | MIPI | 26 PIN ILI980E | **** |
| | | MTF0500FWI-21 | 480*854 | 65.20*119.3*1.85 | 61.56*109.5 | RGB | 45 PIN ILI980E | **** |
| | | MTF0500NA-01G | 800*480 | 120.7*76.30*3.1 | 108.0*64.80 | RGB | 50PIN R/CTP | **** |
| | | MTF050TN22 V.1 | 640*480 | 117.65*88.43*5.7 | 101.57*76.17 | RGB | 50 PIN | **** |
| | | MTF0500QHI-09 | 540*960 | 65.30*118.80*1.6 | 61.97*110.16 | MIPI | IC:OTM9605A 25PIN | ***** |
| | | MTF0500FWI-11 | 480*854 | 65.70*119.3*1.65 | 61.56*109.5 | MIPI | IC:OTM8019A 25PIN | **** |
| | | MTF0500FWI-15 | 480*854 | 65.30*119.3*1.65 | 61.56*109.5 | MIPI | IC:OTM8018B 25PIN | **** |
| | | MTF0500FWI-18 | 480*854 | 65.30*119.55*1.85 | 61.56*109.5 | MCU | 45 PIN ILI9806H | **** |
| | | MTF0500FWI-19 | 480*854 | 65.20*119.3*1.85 | 61.56*109.5 | MIPI | 26 PIN ILI980E | **** |
| | | MTF0500HDI-14 | 720*1280 | 65.3*119.3*1.65 | 62.1*110.4 | MIPI | IC:OTM1287A 31PIN | IPS |
| | | MTF0500HDI-22A | 720*1280 | 65.2*119.3*1.65 | 62.1*110.4 | MIPI | IC:HX8394A 25PIN | IPS |
| | | MTF0500HDI-24 | 720*1280 | 66.1*120.4*1.85 | 62.1*110.4 | MIPI | IC:HX8394A 25PIN | IPS |
| | | MTF050FHDI-03 | 1080*1920 | 64.3*118.3*1.49 | 61.88*110.2 | MIPI | IC:NT35596 39PIN | 350/1K Nits |
| 5.2" | TFT | MTF0520VT-01 | 480*800 | 74.1*125.00*2.15 | 64.80*108.0 | RGB | IC:NT35510 45PIN | **** |
| 5.43" | TFT | MTF054SWN1 | 540*960 | 71.83*128.34*2.15 | 67.635 *120.24 | RGB | H*8389_B00 | **** |
| 5.5" | TFT | MTF0550HDI-03 | 720*1280 | 71.66*129.99*1.61 | 68.04 *120.96 | MIPI | IC:OTM1283A 25PIN | IPS |
| | | MTF0550HDI-04 | 720*1280 | 71.14*130.19*1.70 | 68.04 *120.96 | MIPI | IC:OTM1287A 25PIN | IPS |
| | | MTF0550FD-01 | 1080*1920 | 71.14*130.19*1.50 | 68.04 *120.96 | MIPI | IC:NT35596 25PIN | IPS |
| | | MTF0550FD-02 | 1080*1920 | 71.66*129.99*1.61 | 68.04 *120.96 | MIPI | IC:NT35596 25PIN | IPS |
| | | MTF0550FHD-02A | 1080*1920 | 71.34*130.86*1.60 | 68.04 *120.96 | MIPI | HX8399C 25PIN | IPS |
| | | MTF055HDI-05A | 720*1280 | 71.34* 130.86* 1.73 | 68.04*120.96 | MIPI | IC:HX8394D 25PIN | IPS |
| | | MTF055HDI07 | 720*1280 | 71.34* 130.86* 1.73 | 68.04*120.96 | MIPI | IC:HX8394D 25PIN | IPS |
| | | MTF0545QAN01 | 1440*2560 | 70.24*128.49*1.56 | 68.04 *120.96 | MIPI | IC:R63419 50PIN | IPS |

邁高達科技有限公司
Microtech Technology Co.,Ltd.
香港新界粉嶺安厝街18號安興工業中心5/F樓 505 室
Unit 505,5/F,On Hing Industrial Center,
18 On Kui Street, Fanling,N.T.,HongKong
電話 Tel: (852) 3521 0311 傳真 Fax: (852) 3523 0449
電郵 E-mail: info@microtech-lcd.com
Website: www.microtech-lcd.com

LCD Modules Selection Guide

深圳市邁高達科技有限公司
ShenZhen Microtech Technology Co., Ltd.
深圳市民治街道沙吓村沙吓工业园11栋4樓
4/F, Block 11, Shaxia Industrial Park
LongHua Town, ShenZhen City, Guang Dong
Province,China.
Tel:(86-755) 8372 5193 8372 5037 (Ext.808)
Fax:(86-755) 8372 3887

TFT LCM Product List

| Size | Display Mode | Part No. | Resolution | Outline Dimension | Active Area | INTERFACE | Remark | |
|--------------|--------------|--------------------|---------------|----------------------|---------------------------|------------|----------------------------|-----------|
| 5.6" | TFT | MTF056TN53V.1 | 640*480 | 126.5*100.0*5.7 | 112.89*84.67 | RGB | 40PIN CTP | MP |
| | | MTF056TN52V.3 | 640*480 | 126.5*100.0*5.7 | 112.89*84.67 | RGB | 50PIN R/CTP | MP |
| 5.7" | TFT | MTF057011DH6 | 320*240 | 124.7*100*12.0 | 115.2*86.4 | RGB | 40PIN + RTP | MP |
| | | MTF57010DHU-01 | 640*480 | 147.6*100*12.5 | 115.2*86.4 | RGB | 40PIN +RTP | MP |
| | | MTF0570VGE-T01 | 640*480 | 144.0*104.6*12.3 | 115.2*86.4 | RGB | 33PIN +RTP | MP |
| | | MTF0570HDI-01 | 720*1280 | 74.88*136.05*1.75 | 71.28*126.72 | MIPI | IC:HX8394 24PIN | MP |
| 6.0" | TFT | MTF060FW02V0 | 520*288 | 145.5*87.80*5.1 | 133.38*73.87 | TTL 18bits | 26PIN | MP |
| | | MTF060SWZ1-1 | 540*960 | 78.58*141.02*2.0 | 73.9*131.5 | TTL 18bits | 24PIN | *** |
| | | MTF060HPTP034A | 540*960 | 77.64*141.05*1.9 | 73.98*131.52 | MIPI | 25PIN | MP |
| | | MTF0600HD-01 | 720*1280 | 77.2*141.5*1.7 | 74.52*132.48 | MIPI | 30PIN | MP |
| 6.0" | TFT | MTF600B3002 | 720*1280 | 77.8*141.3*1.9 | 74.52*132.48 | MIPI | 30PIN | MP |
| | | MTF060T1SN01 | 1080*1919 | 76.32*139.33*1.225 | 74.52*132.48 | MIPI | 60 PIN | ** |
| | | MTF060ANRP026A | 1080*1920 | 77.52*139.55*1.6 | 74.52*132.48 | MIPI | 30 PIN | ** |
| 6.2" | TFT | MTF062IDW1-A | 800*480 | 155.20*88.20*5.0 | 137.52*77.23 | TTL | 60PIN | MP |
| 6.5" | TFT | MTF065B0-50 | 800*320 | 165.0*69.5*4.64 | 154.08*57.28 | RGB | 50PIN | MP |
| 6.8" | TFT | MTF068HDB4001-V0 | 480*1280 | 66.6*181.0*4.64 | 60.22*160.59 | MIPI | 40 PIN | MP |
| 7.0" | TFT | MTF070TN90V.1 | 800*480 | 165.00*100.0*5.7/3.5 | 154.08*85.92 | RGB | 50PIN +R/CTP | ***** |
| | | MTF0070TN90V.1(1k) | 800*480 | 165.00*100.0*5.7 | 154.08*85.92 | RGB | 50PIN+R/CTP | 1000 Nits |
| | | MTF070TN92 | 800*480 | 165.00*100.0*5.7 | 154.08*85.92 | RGB | 50PIN +R/CTP, FPC 80.15 mm | ***** |
| | | MTF070TN83-V.1 | 800*480 | 165.00*104.0*5.5 | 152.4*91.44 | TTL | 40PIN | ***** |
| | | MTF700AT9309 | 800*480 | 165.00*104.0*5.2 | 152.4*91.44 | TTL | 40PIN | ***** |
| | | MTF070PD2T | 800*480 | 165.00*100*3.4 | 154.08*85.92 | RGB | 40PIN | ***** |
| | | MTF070PG1T | 800*480 | 165.00*104*3.5 | 154.08*85.92 | RGB | 40PIN | ***** |
| | | MTF0700K5DSSWBGR1 | 800*480 | 165.00*104.0*5.2 | 152.4*91.44 | TTL | 40PIN | ***** |
| | | MTF700RCTZQW-A1H | 800*480 | 165.00*104.0*5.2 | 152.4*91.44 | LVDS | 20PIN | ***** |
| | | MTF0070PD2T | 800*480 | 165.00*100.0*3.4 | 154.08*85.92 | TTL | 40 PIN, FPC+R/CTP | ***** |
| | | MTF070TN01-40NS01 | 1024*600 | 165.80*105.39*2.47 | 153.6*90.00 | LVDS | 40PIN | ***** |
| | | MTF070WS02A-V1 | 1024*600 | 165.80*105.39*2.8 | 153.6*90.00 | LVDS | 40PIN | ***** |
| | | MTF070WS02B-V1 | 1024*600 | 165.75*105.39*2.8 | 153.6*90.00 | LVDS | 40PIN | |
| | | MTF070NA-01B | 1024*600 | 165.75*105.0*4.67 | 153.6*90.0 | LVDS | 40 PIN, 650 Nits | ***** |
| | | MTF070NQ02XN | 1024*600 | 164.10*97.16*2.55 | 154.21*85.92 | TTL | 50 PIN | MP |
| | | MTF070WS05A-V1 | 1024*600 | 165.00*100*5.7 | 154.21*85.92 | RGB | 50 PIN | TN |
| | | MTF070WS06A-V1 | 1024*600 | 165.00*100*3.5 | 154.08*85.92 | RGB | 50 PIN | TN |
| | | MTF070WS07A-V1 | 1024*600 | 165.75*105.4*2.8 | 154.08*85.92 | RGB | 50 PIN | TN |
| | | MTF070PB1T | 1024*600 | 163.8*97.0*2.60 | 154.21*85.92 | TTL | 50 PIN | ***** |
| | | MTF070PF6T | 1024*600 | 163.8*97.0*2.80 | 154.21*85.92 | TTL | Ful View, 50 PIN | ***** |
| MTF070WD01A | 1280*768 | 166.90*108.65*7.4 | 152.45 * 91.5 | LVDS | 40 Pin | ***** | | |
| MTF070IA-02C | 1280*800 | 161.2*107.2*2.5 | 149.76*95.2 | LVDS | 40 PIN | *** | | |
| MTF070WB01 | 1280*800 | 161.12*104.3*2.3 | 150.72*94.2 | eDP | 30 PIN, 550Nits, 800 Nits | **** | | |
| MTF70ACZ-3Z1 | 600*1024 | 95.00*163.30*2.40 | 89.28*152.37 | MIPI | 40PIN | ***** | | |

邁高達科技有限公司
 Microtech Technology Co.,Ltd.
 香港新界粉嶺安居街18號安興工業中心5/F樓 505 室
 Unit 505,5/F, On Hing Industrial Center,
 18 On Kui Street, Fanling,N.T.,HongKong
 電話 Tel: (852) 3521 0311 傳真 Fax: (852) 3523 0449
 電郵 E-mail: info@microtech-lcd.com
 Website: www.microtech-lcd.com

**LCD Modules
 Selection Guide**

深圳市邁高達科技有限公司
 ShenZhen Microtech Technology Co., Ltd.
 深圳市民治街道沙吓村沙吓工业园11栋4楼
 4/F, Block 11, Shaxia Industrial Park
 LongHua Town, ShenZhen City, Guang Dong
 Province,China.
 Tel:(86-755) 8372 5193 8372 5037 (Ext.808)
 Fax:(86-755) 8372 3887

TFT LCM Product List

| Size | Display Mode | Part No. | Resolution | Outline Dimension | Active Area | INTERFACE | Remark | |
|---------------|--------------|--------------------|---------------|---------------------|-----------------------|-----------|------------------------------------|-------|
| 7.0" | TFT | MTF70IC4T | 600*1024 | 95.00*163.30*2.65 | 89.28*152.37 | MIPI | 40PIN | ***** |
| | | MTF70IF1T | 600*1024 | 95.00*163.30*2.50 | 89.28*152.37 | MIPI | 39PIN | ***** |
| | | MTF70IF1T | 600*1024 | 95.00*163.30*2.50 | 89.28*152.37 | MIPI | 39PIN | ***** |
| | | MTF070IB4S | 800*1280 | 99.85*161.70*2.6 | 94.2*150.72 | MIPI | 31PIN | MP |
| | | MTF070ICN-PB1 | 800*1280 | 97.35*162.03*2.3 | 94.2*150.7 | MIPI | 40PIN | MP |
| | | MTF0700J16EA | 1200*1920 | 161.20*105.5*2.12 | 150.72*94.20 | MIPI | 40PIN, 1000 Nits/450 Nits/800 Nits | ***** |
| | | MTF070ME050001 | 1200*1920 | 161.20*105.5*2.12 | 150.72*94.20 | MIPI | 31PIN | ***** |
| | | MTF070ICE-G02 | 800*1280 | 103.7*162.42*2.65 | 94.2*150.72 | MIPI | 31PIN | |
| | | MTF075XATN01.0 | 768*1024 | 165*121.5*2.6 | 150.96*113.22 | LVDS | 40 PIN | TN |
| | | MTF07WX01A-V1 | 800*1280 | 103.46*162.03*2.3 | 94.2*150.7 | MIPI | 40PIN | MP |
| MTF07WX03A-V1 | 1280*800 | 161.2*105.5*2.3 | 150.72*94.2 | LVDS | 30PIN | MP | | |
| 8.0" | TFT | MTF080XAN01 | 768*1024 | 199.68 (Diagonal) | 119.80*159.74 | MIPI | 32PIN/iPad Mini | ***** |
| | | MTF080TN03V | 800*480 | 192.8*116.9*6.4 | 176.64*99.36 | RGB | 60PIN | ***** |
| | | MTF080PA1T | 800*480 | 192.8*116.9*6.4 | 176.64*99.36 | TTL | 50 PIN | ***** |
| | | MTF080TN64 | 800*480 | 192.8*116.9*6.4 | 176.64*99.36 | RGB | 50 PIN | ***** |
| | | MTF080IDW1 | 800*480 | 192.8*116.9*6.4 | 176.64*99.36 | RGB | 60PIN | ***** |
| | | MTF080SN03 | 800*600 | 183.0*141.0*6.3 | 162*121.5 | RGB | 60PIN | MP |
| | | MTF080TN52V.1 | 800*600 | 183.0*141.0*6.3 | 162*121.5 | RGB | 50PIN | ***** |
| | | MTF080NA-04I | 1024*768 | 170.9*134.2*2.8 | 162*121.5 | LVDS | 40PIN | ***** |
| 8.0" | TFT | MTF080IA-01D | 1024*768 | 171.12*132.6*2.8 | 162*121.5 | LVDS | 40PIN | IPS |
| | | MTF080IA-01E | 1024*768 | 174.0*136.0*2.45 | 162*121.54 | LVDS | 40PIN | IPS |
| | | MTF080XA01A-V1 | 1024*768 | 174.0*136.0*2.45 | 162*121.54 | LVDS | 40PIN | IPS |
| | | MTF080IA-06B | 800*1280 | 114.6*184.1*2.5 | 107.64*172.22 | MIPI | 40PIN | IPS |
| | | MTF080IA3T | 800*1280 | 114.6*184.1*2.6 | 107.64*172.22 | MIPI | 31 PIN | IPS |
| | | MTF080WX03A-V1 | 800*1280 | 114.6*184.1*2.6 | 107.64*172.22 | MIPI | 31 PIN | IPS |
| | | MTF080WX05A-V1 | 800*1280 | 114.6*184.1*2.7 | 107.64*172.22 | LVDS | 24 PIN | IPS |
| | | MTF080WQ16 | 800*1280 | 112.6*181.8*0.45 | 107.64*172.22 | MIPI | 50 PIN | IPS |
| | | MTF080DCA-AZ1 | 800*1280 | 114.8*184.7*2.5 | 107.64*172.22 | MIPI | 40PIN | IPS |
| | | MTF080KDZ-3Z1 | 1200*1920 | 114.6*184.1*2.5 | 107.6*172.2 | MIPI | 40PIN | IPS |
| | | MTF080IH7T | 1200*1920 | 114.6*184.1*2.5 | 107.6*172.2 | MIPI | 31 PIN | IPS |
| MTF080M1SX01 | 1200*1920 | 112.38*182.75*1.83 | 107.28*171.64 | MIPI | 51 PIN, Driving Board | IPS | | |
| 8.9" | TFT | MTF089DCZ-3A1 | 800*1280 | 125.48*202.9*2.5 | 119.28*190.848 | MIPI | 40PIN | IPS |
| | | MTF089CL01 | 1920*1200 | 203.5*135.84*2.2 | 191.52*119.7 | MIPI | 40PIN; S-T | IPS |
| | | MTF089WQXGA | 2560*1600 | 200.9*132.1*1.95 | 192.0 * 120.0 | MIPI | 61PIN | IPS |
| | | MTF0890195J36EA | 2560*1600 | 200.9*132.1*1.95 | 192.0 * 120.0 | MIPI | 51PIN | IPS |
| 9.0" | TFT | MTF090TN12V.3 | 800*480 | 211.1*126.5*5.9 | 198*111.70 | RGB | 50PIN | ***** |
| | | MTF090TN10 | 800*480 | 211.1*126.5*5.8 | 198*111.70 | RGB | 50PIN | *** |
| | | MTF090PA4S | 800*480 | 211.1*126.5*5.9 | 198*111.70 | TTL | 50PIN | *** |
| | | MTF090H1A23E | 1024*600 | 208.7*126.5*2.8 | 196.61* 114.15 | TTL | 50PIN | *** |
| | | MTF090PA8T | 1024*600 | 211.1*126.5* 3.5(D) | 196.61* 114.15 | TTL | 50PIN | *** |
| | | MTF090LD3T | 1024*600 | 210.7*126.4*5.2 | 196.608 * 114.15 | LVDS | 40PIN | *** |

邁高達科技有限公司
Microtech Technology Co.,Ltd.
香港新界粉嶺安樂街18號安興工業中心5/F樓 505 室
Unit 505,5/F,On Hing Industrial Center,
18 On Kui Street, Fanling,N.T.,HongKong
電話 Tel: (852) 3521 0311 傳真 Fax: (852) 3523 0449
電郵 E-mail: info@microtech-lcd.com
Website: www.microtech-lcd.com

LCD Modules Selection Guide

深圳市邁高達科技有限公司
ShenZhen Microtech Technology Co., Ltd.
深圳市民治街道沙吓村沙吓工业园11栋4楼
4/F, Block 11, Shaxia Industrial Park
LongHua Town, ShenZhen City, Guang Dong
Province,China.
Tel:(86-755) 8372 5193 8372 5037 (Ext.808)
Fax:(86-755) 8372 3887

TFT LCM Product List

| Size | Display Mode | Part No. | Resolution | Outline Dimension | Active Area | INTERFACE | Remark | |
|---------------|--------------|--------------------|----------------|--------------------|----------------|-----------|---------------------------|------|
| 9.0" | TFT | MTF090TN02 | 1280*800 | 206.7*135*3.6 | 193.92*121.2 | LVDS | 40PIN | |
| 9.7" | TFT | MTF097XA01A-V1 | 1024*768 | 209.51*163.55*2.6 | 196.61*147.46 | LVDS | 30 PIN | IPS |
| | | MTF097XN | 1024*768 | 210.21*164.25*2.52 | 196.61*147.46 | LVDS | 30PIN;+RTP/CTP;iPad 2 | MP |
| | | MTF097-104A3 | 1024*768 | 210.21*164.25*2.52 | 196.61*147.46 | LVDS | 30PIN;+RTP/CTP;iPad 2 | MP |
| | | MTF097LIJY02 | 2048*1536 | 208.88*167.12*2.6 | 196.61*147.44 | EDP | 51PIN/iPad 3 | MP |
| 10.1" | TFT | MTF101L06-L0A | 1024*600 | 235*143*5.2 | 222.72*125.28 | LVDS | 40PIN+R/CTP | **** |
| | | MTF101IH4004A3D9-A | 1024*600 | 235*143*5.2 | 222.72*125.28 | LVDS | 40PIN FPC | MP |
| | | MTF101LB5S | 1024*600 | 235*143*5.2 | 222.72*125.28 | LVDS | | MP |
| | | MTF100IFW1 | 1024*600 | 235*143*5.5 | 222.72*125.28 | TTL | 2*30PIN | MP |
| | | MTF101AW06 V.1 | 1024*600 | 235*143*5.2 | 222.72*125.28 | LVDS | 40PIN | *** |
| | | MTF101PFW2-B00 | 1024*600 | 235*143*5.2 | 222.72*125.28 | LVDS | 40PIN | *** |
| | | MTF101PA2S-L0A | 1024*600 | 235*143*5.1 | 222.72*125.28 | TTL | 50PIN | *** |
| | | MTF101WS02A-V1 | 1024*600 | 235*143*5.1 | 222.72*125.28 | TTL | 50PIN | *** |
| | | MTF101WSB50-03A | 1024*600 | 40PIN,1000 Nits | 222.72*125.28 | TTL | 50PIN 2000 Nits | *** |
| | | MTF101WS06A-V1 | 1024*600 | 248.5*145.5 | 222.72*125.28 | RGB | 40 PIN | TN |
| | | MTF101BWS-A1 | 1024*600 | 232*1136*3.0 | 222.72*125.28 | LVDS | 50PIN | *** |
| | | MTF101IG1T | 1024*600 | 235.0*143.0*2.8 | 222.72.125.28 | MIPI | 30 PIN | MP |
| | | MTF101LE8S | 1280*800 | 229.46*149.2*2.9 | 216.96*135.6 | LVDS | 40PIN | MP |
| | | MTF101PWW1-A | 1280*800 | 243*146.5 | 222.72*125.28 | LVDS | 40PIN | MP |
| | | MTF101IA-01D | 1280*800 | 229.2*149.8*2.50 | 216.96*135.6 | LVDS | 40PIN,350/ 600 /1000 Nits | MP |
| | | MTF101IA-01F | 1280*800 | 229.46*149.1*4.80 | 216.96*135.6 | LVDS | 40PIN,1000 Nits | MP |
| | | MTF101DBZ-3Z1 | 800*1280 | 228.6*143*2.5 | 216.576*135.36 | MIPI | 40 PIN | IPS |
| | | MTF101IB0T | 800*1280 | 143*228.6*2.6 | 135.36*216.576 | MIPI | 40 PIN | IPS |
| | | MTF101WX01A-V1 | 800*1280 | 228.6*143*2.5 | 216.576*135.36 | MIPI | 40 PIN | IPS |
| | | MTF101WX03A-V1 | 800*1280 | 228.6*143*2.5 | 216.576*135.36 | MIPI | 40 PIN | IPS |
| | | MTF101LF4T | 1280*800 | 229.46*149.2*2.65 | 216.96*135.60 | MIPI | 40 PIN/350cd/m2 | IPS |
| | | MTF101ID0T | 1200*1920 | 143*228.6*2.45 | 135.36*216.576 | MIPI | 45 PIN | MP |
| | | MTF101M2BA02-A | 1200*1920 | 143*228.6*2.30 | 135.36*216.576 | MIPI | 40 PIN | MP |
| | | MTF101JEA-3Z1 | 1920*1200 | 229.35*149.1*2.7 | 216.86*135.5 | MIPI | 40 PIN, 320Nits/600Nits | IPS |
| | | MTF101WH1-TLA1 | 1366*768 | 235*143*5.3 | 222.72*125.28 | LVDS | 40PIN | MP |
| | | MTF101WB03 | 1366*768 | 249*147*3.6 | 222.72*125.28 | LVDS | 40PIN | *** |
| MTF10T022N90 | 2560*1600 | 227.65*147.85*2.0 | 216.96*135.6 | EDP | 51 PIN | MP | | |
| MTF101R1SX01A | 2560*1600 | 228.0*148.5*1.875 | 216.576*135.36 | MIPI | 50 PIN | MP | | |
| MTF101PA2S | 1024*600 | 235*143*5.1 | 222.72*125.28 | TTL | 50PIN | | | |
| 10.2" | TFT | MTF102TN03 V.9 | 800*480 | 235.00*145.8*6.1 | 222.0*132.48 | LVDS | 60PIN | MP |
| 10.4" | TFT | MTF104SN02 | 800*600 | 236.00*174.4*5.6 | 211.2*158.4 | LVDS | 42PIN | MP |
| | | MTF104LSA40AT9001 | 800*600 | 228.40*175.4*5.9 | 211.2*158.4 | RGB | 60PIN | *** |
| | | MTF104SV01A-V1 | 800*600 | 236*176.9*5.6 | 211.2*158.4 | LVDS | 20PIN | *** |
| | | MTF104IXN1-A | 1024*768 | 225.8*174.3*5.6 | 211.2*158.4 | LVDS | 30PIN | MP |
| | | MTF104XA01A-V1 | 1024*768 | 236*176.9*5.7 | 211.2*158.4 | LVDS | 20PIN | MP |
| | | MTF104XA02A-V1 | 1024*768 | 236*174.3*10.06 | 211.2*158.4 | LVDS | 20PIN | MP |

邁高達科技有限公司
Microtech Technology Co.,Ltd.
香港新界粉嶺安居街18號安興工業中心5/F樓 505 室
Unit 505,5/F,On Hing Industrial Center,
18 On Kui Street, Fanling,N.T.,HongKong
電話 Tel: (852) 3521 0311 傳真 Fax: (852) 3523 0449
電郵 E-mail: info@microtech-lcd.com
Website: www.microtech-lcd.com

LCD Modules Selection Guide

深圳市邁高達科技有限公司
ShenZhen Microtech Technology Co., Ltd.
深圳市民治街道沙吓村沙吓工业园11栋4樓
4/F, Block 11, Shaxia Industrial Park
LongHua Town, ShenZhen City, Guang Dong
Province,China.
Tel:(86-755) 8372 5193 8372 5037 (Ext.808)
Fax:(86-755) 8372 3887

TFT LCM Product List

| Size | Display Mode | Part No. | Resolution | Outline Dimension | Active Area | INTERFACE | Remark | |
|-------|--------------|----------------|-------------|-------------------|-----------------|----------------|-----------------|----|
| 10.4" | TFT | MTF104XA02CW | 1024*768 | 213.2*160.4*5.6 | 211.2*158.4 | LVDS | 30PIN | MP |
| | | MTF104X1-L03 | 1024*768 | 215.4*161.8*5.8 | 210.4*157.8 | LVDS | 30PIN | MP |
| 11.6" | TFT | MTF116EB5S | 1920*1080 | 263.4*157.22*2.8 | 256.32*144.18 | EDP | 30 PIN | MP |
| | | MTF116EA7T | 1920*1080 | 278*167.87*3.0 | 256.32*144.18 | EDP | 30 PIN | MP |
| | | MTF116WHM-N10 | 1366*768 | 268*168*3.6 | 256.13*144 | LVDS | 40PIN; B | MP |
| | | MTF116WHM-N11 | 1366*768 | 268*168*3.6 | 256.13*144 | EDP | 30PIN; B | MP |
| | | MTF116NWR1R2 | 1366*768 | 264.3*154.3*2.0 | 256.13*144 | EDP | 30PIN; I-T | MP |
| | | MTF116EB2T | 1366*768 | 278.0*167*3.0 | 256.13*144 | EDP | 30PIN; I-T | MP |
| 12.1" | TFT | MTF121S1-L02 | 800*600 | 249*187.50*8.4 | 246*184.5 | LVDS | 20Pin | MP |
| | | MTF121XN01 | 1024*768 | 279.0*209.0*9.0 | 245.76*184.32 | LVDS | 20Pin | MP |
| | | MTF121I1-L01 | 1280*800 | 278*184*8.16 | 261.12*163.20 | LVDS | 30PIN | MP |
| | | MTF121WX3-TPB1 | 1280*800 | 275.8*178.1*5.5 | 261.12*163.20 | EDP | 30PIN | MP |
| | | MTF121WX3-TLC1 | 1280*800 | 275.8*178.1*5.5 | 261.12*163.20 | LVDS | 30PIN | MP |
| | | MTF121WX3-TLA1 | 1280*800 | 275.8*178.1*5.5 | 261.12*163.20 | LVDS | 40PIN | MP |
| | | MTF121WXM-N10 | 1280*800 | 277.7*180.6*8.7 | 261.12*163.20 | LVDS | 20PIN,400 Nits | MP |
| | | MTF121ETN-N10 | 1280*800 | 283.0*185.1*9.7 | 261.12*163.20 | LVDS | 20PIN,1000 Nits | MP |
| 12.2" | TFT | MTF122DL01 | 2560*1600 | 273.3*176.5*2.3 | 262.77*164.16 | MIPI | 40PIN; B-T | MP |
| | | MTF122EA0T | 1920*1200 | 273.3*176.5*2.8 | 262.77*164.23 | EDP | 30 PIN | |
| | | MTF122EA1T | 1920*1200 | 283.3*190*3.0 | 262.7*164.2 | EDP | 30 PIN | |
| | | MTF122EA0S | 1920*1200 | 273.3*176.5*2.6 | 262.77*164.23 | EDP | 30 PIN | MP |
| 12.3" | TFT | MTF123EA0T | 1920*1200 | 266.26*186.76*2.4 | 259.2*172.8 | EDP | 39 PIN | |
| 12.5" | TFT | MTF125FD01A-V1 | 1920*1200 | 282.4*179.32*2.3 | 276.48*155.52 | EDP | 39 PIN | |
| 12.9" | TFT | MTF129IA0T | 1200*1600 | 206.3*276.28*3.0 | 196.59*262.13 | MIPI | 39 PIN | MP |
| 13.3" | TFT | MTF133EA0T | 1920x1080 | 305.35*187.82*2.7 | 293.76*165.24 | EDP | 30 PIN | MP |
| | | MTF133FD01A | 1920x1080 | 309.7*184.1*9.6 | 293.47*165.00 | LVDS | 30 PIN | MP |
| | | MTF133WX2 | 1280*800 | 297.15*192.15*3.3 | 286.08*178.80 | LVDS | 30PIN | MP |
| 13.3" | TFT | MTF133XW03 V1 | 1366*768 | 314.1*177.7*3.6 | 293.42 * 164.97 | LVDS | 40PIN | MP |
| 14.0" | TFT | MTF140EA0S | 1366*768 | 320.41*205.1*3.0 | 309.399*173.952 | EDP | 30 PIN | MP |
| | | MTF140WH1 | 1366*768 | 323.5*192*5.2 | 309.4*173.95 | LVDS | 40PIN | MP |
| | | MTF140WXB-100 | 1366*768 | 323.5*192*3.6 | 309.4*173.95 | LVDS | 40PIN | MP |
| | | MTF140XW01 V.0 | 1366*768 | 323.5*192*3.6 | 309.4*173.95 | LVDS | 40PIN | MP |
| 14.1" | TFT | MTF141EW04 V.5 | | 323.5*192*3.6 | 309.4*173.95 | LVDS | 40PIN+RTP | MP |
| | | MTF124IA-L01 | 1024x273 | 326.5x 108.5 x 12 | 304.128 x 81 | LVDS | 40 PIN | |
| 15.0" | TFT | MTF150XG1-TB | 1024*768 | 326.5*253.5*11.13 | 304.12*228.1 | LVDS | 20PIN | MP |
| | | MTF150XVNO1.0 | 1024*768 | 326.5*253.5*9.6 | 304.12*228.1 | LVDS | 30PIN | MP |
| 15.4" | TFT | MTF154EW02 V.6 | 1366*800 | 323.5*192*3.6 | 309.4*173.95 | LVDS | 30PIN | MP |
| 15.6" | TFT | MTF156B1-L01 | 1366*768 | 359.8*209.97*5.5 | 323.5*193.54 | LVDS | 30PIN | MP |
| | | MTF156XW02 V.2 | 1366*768 | 359.8*209.97*5.5 | 323.5*193.54 | LVDS | 40PIN | MP |
| | | MTF156FD01A-V1 | 1920 × 1080 | | 344.16 × 193.59 | Normally black | 30PIN | |
| | | MTF156EA0S | 1920*1080 | 359.50*223.80*3.4 | 344.16*193.59 | EDP | 30 PIN | MP |
| | | MTF156FD01A-V1 | 1920*1080 | 363.8*215.9*8.8 | 344.16*193.59 | EDP | 30PIN | MP |

邁高遠科技有限公司
Microtech Technology Co.,Ltd.
香港新界粉嶺安樂街18號安興工業中心5/F樓 505 室
Unit 505,5/F,On Hing Industrial Center,
18 On Kui Street, Fanling,N.T.,HongKong
電話 Tel: (852) 3521 0311 傳真 Fax: (852) 3523 0449
電郵 E-mail: info@microtech-lcd.com
Website: www.microtech-lcd.com

LCD Modules Selection Guide

深圳市邁高遠科技有限公司
ShenZhen Microtech Technology Co., Ltd.
深圳市民治街道沙吓村沙吓工业园11栋4楼
4/F, Block 11, Shaxia Industrial Park
LongHua Town, ShenZhen City, Guang Dong
Province,China.
Tel:(86-755) 8372 5193 8372 5037 (Ext.808)
Fax:(86-755) 8372 3887

TFT LCM Product List

| Size | Display Mode | Part No. | Resolution | Outline Dimension | Active Area | INTERFACE | Remark | |
|-------|--------------|----------------|------------|-------------------|-----------------|-----------|---------------------------|----|
| 15.6" | TFT | MTF156HAN02.0 | 1920*1080 | 363.8*215.9*8.8 | 344.16*193.59 | EDP | 30PIN,1000 Nits | MP |
| 17.0" | TFT | MTF170MGW1-B | 1280*1024 | 358.5*296.5* 15.8 | 337.92 * 270.33 | LVDS | 30PIN | MP |
| 18.5" | TFT | MTF185HAN01.0 | 1920*1080 | 430.4*254.6* 12 | 408.96 * 230.04 | LVDS | 30PIN | MP |
| 19.0" | TFT | MTF190FBM-NB0 | 190*360 | 491.5*109.4*8.4 | 476.64*89.37 | LVDS | 30 PIN, Bar TFT | MP |
| | TFT | MTF190ETN01.0 | 1280*1024 | 396*324*11.2 | 376.32*301.06 | LVDS | 30PIN, 1000 Nits/350 Nits | MP |
| | TFT | MTF190EG02_V1 | 1280*1024 | 396*324*18.4 | 376.32*301.06 | LVDS | 30PIN, 1000 Nits/350 Nits | MP |
| 21.0" | TFT | MTF210FBM-N00 | 1920*132 | 542.4*54.7*8.0 | 529.41*36.39 | LVDS | 40 PIN, Bar TFT | MP |
| | | MTF210FDM01 | 1920*132 | 542.4*54.7*8.0 | 529.41*36.39 | LVDS | 40 PIN, Bar TFT | MP |
| 21.5" | TFT | MTF215HVN01.1 | 1920*1080 | 495.6*292.2*10.6 | 476.64*268.11 | LVDS | 30PIN, 1000 Nits | MP |
| | | MTF215WU1-120 | 1920*1080 | 495.6*292.2*10.7 | 476.064*267.86 | LVDS | 30PIN, 300 Nits | MP |
| 24.0" | TFT | MTF240FBM-NB0 | 1920*360 | 612.7*132.1*8.4 | 597.8*112.1 | LVDS | 30 PIN, Bar TFT | MP |
| | | MTF240HW01-V0 | 1920*360 | 5567*323.4*17 | 531.36*298.59 | LVDS | 30 PIN, Bar TFT | MP |
| 27.0" | TFT | MTF27FHM-N20 | 1920*1080 | 611.5*355.8*13.2 | 597.88*336.31 | LVDS | 30PIN, 1000 Nits/300 Nits | MP |
| 28.0" | TFT | MTF280FBM-NB1 | 1920*360 | 732.0*165.0*16.8 | 699.84*131.22 | LVDS | 51 PIN, Bar TFT | MP |
| 31.5" | TFT | MTF315FH01A-V1 | 1920*1080 | 722.2 *414.95 | 698.4*392.85 | LVDS | 51 PIN, Bar TFT | MP |
| 48.0" | TFT | MTF480FBM-N00 | 3480*720 | 1217.9*248.2*9.0 | 1194.0*223.89 | VBYONE | 51 PIN, Bar TFT | MP |

Customise Resistive and Capacitive Touch Panels as you requirements

Add NTSC, PAL, VGA, HDMI Conversion Board and T-Con Board

Price of LED backlight for particular models,FPC Length, Sunlight Readable

Requirements for engineering evaluation email: info@microtech-lcd.com

邁高達科技有限公司
Microtech Technology Co.,Ltd.
香港新界粉嶺安厝街18號安興工業中心5/F樓 505 室
Unit 505,5/F, On Hing Industrial Center,
18 On Kui Street, Fanling, N.T., HongKong
電話 Tel: (852) 3521 0311 傳真 Fax: (852) 3523 0449
電郵 E-mail: info@microtech-lcd.com
Website: www.microtech-lcd.com

**module assembly
Selection Guide**

深圳市邁高達科技有限公司
ShenZhen Microtech Technology Co., Ltd.
深圳市民治街道沙吓村沙吓工业园11栋4楼
4/F, Block 11, Shaxia Industrial Park
LongHua Town, ShenZhen City, Guang Dong
Province, China.
Tel:(86-755) 8372 5193 8372 5037 (Ext.808)
Fax:(86-755) 8372 3887

Resistive Touch Panel Product List

| Size | TP Type | Part No. | Outline Dimension | Active Area | INTERFACE | Remark | |
|-------|---------|------------------|-------------------|---------------|-----------|------------------|---------|
| 2.4" | RTP | MTP4446 | 46.5*53.0*1.1 | 37.56*49.36 | | 1.0pitch 4PIN | |
| 2.8" | RTP | MTP4254 | 68.8*49.6*1.1 | 62.50*44.20 | | 1.25pitch 4PIN | |
| 3.0" | RTP | MTP3194 | 76.6*44.64*1.1 | 65.80*39.88 | | 0.7pitch 4PIN | |
| 3.2" | RTP | MTP3482 | 76.1*54.26*1.1 | 69.90*49.96 | | 0.8pitch 4PIN | |
| 3.5" | RTP | MTP4166 | 54.26*82.84*1.15 | 49.96*74.44 | | 0.7pitch 4PIN | 3.5"-06 |
| | | MTP0587 | 76.60*63.6*1.1 | 70.8*52.56 | | 1.0pitch 4PIN | 3.5"-05 |
| 4.3" | RTP | MTP43005 | 104.7*64.4*1.2 | 96.64*55.46 | | 1.0pitch 4PIN | |
| 5.0" | RTP | MTP5.0 | 117.5*70.0*1.4 | 111.8*64.00 | | 1.0pitch 4PIN | |
| | | MTP2752 | 117.5*69.8*1.15 | 113.0*64.00 | | 1.25pitch 4PIN | |
| 5.6" | RTP | MTP5.6A | 126.5*100*1.4 | 112.89*84.672 | | 1.0pitch 4PIN | |
| 5.7" | RTP | MTP15001-A | 131.19*103*2.3 | 115.2*86.4 | | 1.25pitch 4PIN | |
| 6.2" | RTP | MTP062RDH01-TP | 155.2*88.2*1.4 | 137.5*77.22 | | 1.0pitch 4PIN | |
| 7.0" | RTP | MTP70CM | 164.9*104*1.4 | 154.08*85.92 | | 1.0pitch 4PIN | |
| | | MTPA7.1G | 16.5*104*1.4 | 151.4*90.4 | | 1.0pitch 4PIN | |
| | | MTP070473 | 164.3*98.7*1.4 | 155.68*87.52 | | 1.0pitch 4PIN | |
| | | MTP070010-11 | 164.3*99.3*1.5 | 155.75*84.5 | | 1.0pitch 4PIN | |
| 8.0" | RTP | MTPA8.0D | 183*141*1.4 | 161.8*121.8 | | 2.54 Pitch 4 PIN | |
| | | MTPA8.0F | 192.8*116.9*1.4 | 176.1*99.4 | | 1.0 Pitch 4 PIN | |
| | | MTP8.0J | 183*141*1.4 | 161.8*121.8 | | 1.0 Pitch 4 PIN | |
| 9.0" | RTP | MTP9.0C | 210.9*124.1*1.4 | 198.36*111.7 | | 1.0 Pitch 4 PIN | |
| | | MTP9.0D | 210.7*126.4*1.4 | 196.00*110.08 | | 1.0 Pitch 4 PIN | |
| 9.7" | RTP | MTPA09.7 | 235.6*182.1*2.1 | 211.0*157.6 | | 2.54pitch 4PIN | |
| 10.1" | RTP | MTP10.1 | 249.1*143.7*1.4 | 225.9*128.4 | | 1.0pitch 4PIN | |
| | | MTP10.1M | 235.0*143.0*1.4 | 224.6*125.9 | | 0.5 pitch 4PIN | |
| 10.2" | RTP | MTP334(10.2) | 145.7*234.9*2.0 | 133.2*222.0 | | 1.0 pitch 4PIN | |
| 10.4" | RTP | MTP10.4A | 225.5*173.0*1.4 | 210.0*155.2 | | 2.54pitch 4PIN | |
| | | MTP104001 | 234.0*178.0*1.4 | 212.0*159.4 | | 2.54pitch 4PIN | |
| | | MTP104006-01 | 226.32*174.2*1.4 | 212.0*159.2 | | 0.5pitch 4PIN | |
| | | MTP22005-A5 | 255.11*197.36*2.1 | 214.2*162.1 | | 1.25pitch 4PIN | |
| | | MTP11HST01 | 255.55*192.95*1,6 | 211.2*158.8 | | 2.54pitch 4PIN | |
| 12.1" | RTP | MTP822 | 201*264.*2.3 | 248*186 | | 2.54 Pitch 4 PIN | |
| | | MTP-4W-12.1BZ-EN | 226*203.2*2.3 | 248*186 | 4 Wires | 1.0 Pitch 4 PIN | |
| | | MTP-5W-12.1A-43 | 265*200*2.3 | 243.76*182.32 | 5 Wire | 1.0 Pitch 4 PIN | |
| | | MTP121M.215 | 265*200*2.3 | 243.76*182.32 | 5 Wire | 1.0 Pitch 4 PIN | |
| 32.0" | RTP | MTP3200-W4R | 719.6*414.3 | 697.68*392.26 | | 2.54pitch 4PIN | |

邁高達科技有限公司
Microtech Technology Co.,Ltd.
香港新界粉嶺安厝街18號安興工業中心5/F樓 505 室
Unit 505,5/F,On Hing Industrial Center,
18 On Kui Street, Fanling,N.T.,HongKong
電話 Tel: (852) 3521 0311 傳真 Fax: (852) 3523 0449
電郵 E-mail: info@microtech-lcd.com
Website: www.microtech-lcd.com

module assembly Selection Guide

深圳市邁高達科技有限公司
ShenZhen Microtech Technology Co., Ltd.
深圳市民治街道沙吓村沙吓工业园11栋4楼
4/F, Block 11, Shaxia Industrial Park
LongHua Town, ShenZhen City, Guang Dong
Province,China.
Tel:(86-755) 8372 5193 8372 5037 (Ext.808)
Fax:(86-755) 8372 3887

LCM module assembly Product List

| Size | TP Type | Part No. | Resolution | Outline Dimension | View Area | IC | INTERFACE | Remark |
|-------|---------|--|------------|--------------------|-------------|------------------|-------------|---|
| 1.44" | CTP+TFT | MTF0144SN-06A+MTP0144GF-02B | 128*128 | 33.8*37.82*3.5 | 25.49*26.5 | FT6206/ILI9163V | MCU/I2C | MTF0144SN-06A+MTP0144GF-02B(Air) |
| 2.4" | TFT+CTP | MTZ024GF47A01-V1 | 240*320 | 42.72*60.26*3.25 | 36.72*48.94 | FT6236U/ST7789V | MCU/RGB/I2C | MTF024QV33A-V1+MTP-GF024147A-1.0(Air) |
| | | MTF0240QT-26+MTP024GF-01B | 240*320 | 48.24*67.72*3.32 | 36.72*48.94 | FT6236/ST7789V | MCU/RGB/I2C | MTF0240QT-26+MTP024GF-01B+OCA |
| | | MTZ024GF47B01-V1 | 240*320 | 42.72*60.26*3.25 | 36.72*48.94 | FT6236U/ST7789V | MCU/RGB/I2C | MTF024QV33A-V1+MTP-GF024147B-1.0(Air) |
| 2.8" | CTP+TFT | MTF0280QT-30+MTP028GG-06A | 240*320 | 54.50*85.17*4.52 | 57.6*43.2 | GT911/ILI9341 | MCU/RGB/I2C | MTF0280QT-30+MTP028GG-06A(Air) |
| | | MTF0280QT-34+MTP0280GF-14A V2 | 240*320 | 69.35*50.0*4.0 | 57.6*43.2 | FT6236U/ILI9341V | MCU/RGB/I2C | MTF0280QT-34+MTP0280GF-14A V2(Air) |
| | | MTF0280QT-34B-V2+MTP0280GF-14A V2 | 240*320 | 69.35*50.0*4.0 | 57.6*43.2 | FT6236U/ILI9341V | MCU/RGB/I2C | MTF0280QT-34B-V2+MTP0280GF-14A V2(Air) |
| 3.2" | CTP+TFT | MTF0320CMIL-06V3.1+MTP-PG032100A | 240*320 | 77.7*55.04*3.5 | 64.8*48.60 | FT5216M/ILI9341V | MCU/RGB/I2C | MTF0320CMIL-06V3.1+MTP-PG032100A(Air) |
| | | MTF0320CMIL-06v3.0 (MCU) +RTP | 240*320 | 77.7*55.04*3.5 | 64.8*48.60 | | MCU/RGB | MTF0320CMIL-06v3.0 (MCU) +MTP4526(Air)-RTP |
| 3.4" | CTP+TFT | MTF03400AR39A+CTP | 800*800 | 99.0 x 96.6 x 3.98 | 87.6*87.6 | ILI9881C | MIPI/I2C | OCA |
| 3.5" | CTP+TFT | MTF0350HT-06 (RGB) +MTP035GG-22A/CTP | 320*480 | 54.66*82.94*3.50 | 48.96*73.44 | GT911/ILI9488 | RGB/I2C | MTF0350HT-06 (RGB) +MTP035GG-22A/(Air) |
| | | MTF0350HT-06 (MCU) +MTP035GG-22A/CTP | 320*480 | 54.66*82.94*3.50 | 48.96*73.44 | GT911/ILI9488 | MCU/I2C | MTF0350HT-06 (MCU) +MTP035GG-22A(Air) |
| | | MTF0350HT-06B(4L-SPI+RGB) MTP035GG-22A/CTP | 320*480 | 54.66*83.00*3.76 | 48.96*73.44 | GT911/ILI9488 | RGB/I2C | MTF0350HT-06B(4L-SPI+RGB)+MTP035GG-22A(Air) |
| | | MTF0350HT-27A+MTP035GG-22A/CTP | 320*480 | 54.66*83.00*3.76 | 48.96*73.44 | GT911/ILI9488 | RGB/I2C | MTF0350HT-27A+MTP035GG-22A/CTP+(Air) |
| | | MTF0350HT-06 (MCU) +MTP4166 | 320*480 | 54.66*83.00*3.20 | 48.96*73.44 | GT911/ILI9488 | MCU | MTF0350HT-06 (MCU) +MTP4166(Air) |

邁高達科技有限公司
Microtech Technology Co., Ltd.
香港新界粉嶺安居街18號安興工貿中心5/F樓 505 室
Unit 505,5/F,On Hong Industrial Center,
18 On Kui Street, Fanling,N.T.,HongKong
電話 Tel: (852) 3521 0311 傳真 Fax: (852) 3523 0449
電郵 E-mail: info@microtech-lcd.com
Website: www.microtech-lcd.com

**module assembly
Selection Guide**

深圳市邁高達科技有限公司
ShenZhen Microtech Technology Co., Ltd.
深圳市民治街道沙吓村沙吓工业园11栋4樓
4/F, Block 11, Shaxia Industrial Park
LongHua Town, ShenZhen City, Guang Dong
Province,China.
Tel:(86-755) 8372 5193 8372 5037 (Ext.808)
Fax:(86-755) 8372 3887

LCM module assembly Product List

| Size | Display Mode | Part No. | Resolution | Outline Dimension | Active Area | INTERFACE | Remark | |
|-------|--------------|-------------------------------------|------------|-------------------|-------------|------------------|--------------|--|
| 3.5" | CTP+TFT | MTF0350HT-06B (4L-SPI+RGB) +MTP4166 | 320*480 | 54.66*83.00*3.30 | 48.96*73.44 | GT911/ILI9488 | RGB+SPI | MTF0350HT-06B (4L-SPI+RGB) +MTP4166(Air) |
| | | MTF0350QHD-16+MTP035GFF-03B | 640*960 | 62.00*91.00*3.20 | 49.92*74.88 | FT5336/HX8394F | MIPI/I2C | MTF0350QHD-16+MTP035GFF-03B(OCA) |
| | | MTF0350CMHX-05+MTP0587 | 320*240 | 76.90*64.00*4.25 | 70.08*52.56 | HX8238D | RGB | MTF0350CMHX-05+MTP0587(Air) |
| | | MTZ035GG28A-V1 | 320*480 | 54.66*83.00*3.76 | 48.96*73.44 | GT911/ILI9488 | RGB/I2C | MTF0350HT-06 (RGB) + MTP035GG28A-V1(Air) |
| | | MTF0350QHD-16+MTP035GFF27A-V1 | 640*960 | 63.00*91.50*2.60 | 49.92*74.88 | FT5436/HX8394F | MIPI/I2C | MTF0350QHD-16+MTP035GFF27A-V1(OCA) |
| | | MTZ035GFF29A-V1 | 320*480 | 87.60*380.50*5.95 | 48.96*73.44 | FT5436/ST7796S | MCUI/I2C | MTF035HT29A-V1+MTP035GFF29A-V1(OCA) |
| | | MTF0350HT-06 (RGB) +MTP035GG31A-V1 | 320*480 | 69.0*123.40*3.76 | 48.96*73.44 | GT911/ILI9488 | RGB/I2C | MTF0350HT-06 (RGB) +MTP035GG31A-V1(Air) |
| 3.95" | CTP+TFT | MTZ040GFF23A01-V1 | 480*480 | 80.20*83.81*4.08 | 71.86*70.18 | GT917S/ST7701S | MIPI/I2C | MTF0395SVN-02A+MTP040GFF23A-V1(Air) |
| 3.97" | CTP+TFT | MTF0397SWI-06+MTP040GF-13A | 480*480 | 65.50*108.00*3.40 | 51.84*86.4 | FT6236U/OTM8019 | MIPI/I2C | MTF0397SWI-06+MTP040GF-13A(OCA) |
| | | MTF0397SWI-03+MTP040GF-10A | 480*800 | 62.00*115.20*3.40 | 51.84*86.4 | FT6236/ILI9806G | RGBI/MCU/I2C | MTF0397SWI-03+MTP040GF-10A(OCA) |
| | | MTF0397SWI-03+MTP040GF-14A | 480*800 | 81.35*106.24*3.45 | 51.84*86.4 | FT6236U/ILI9806G | RGBI/I2C | MTF0397SWI-03+MTP040GF-14A(Air) |
| | | MTF0397SWI-07+MTP040GF-15A | 480*800 | 93.80*117.50*3.15 | 51.84*86.4 | FT6236U/OTM8019 | MIPI/I2C | MTF0397SWI-07+MTP040GF-15A(OCA) |
| | | MTF0397SWI-06+MTP040GF-18 | 480*800 | 59.07*101.65*3.53 | 51.84*86.4 | FT6236U/ILI9806G | MIPI/I2C | MTF0397SWI-06+MTP040GF-18(OCA) |
| | | MTZ040GF18A01-V1 | 480*800 | 59.07*101.65*3.53 | 51.84*86.4 | FT6236U/ILI9806G | RGBI/MCU/I2C | MTF0397SWI-10A+MTP040GF-18A(OCA) |
| | | MTF0397SWI-10A+MTP040GF-19A | 480*800 | 81.35*106.24*3.50 | 51.84*86.4 | FT6236U/ILI9806G | RGBI/MCU/I2C | MTF0397SWI-10A+MTP040GF-19A(OCA) |

邁高達科技有限公司
Microtech Technology Co.,Ltd.
香港新界粉嶺安居街18號安興工業中心5/F樓 505 室
Unit 505,5/F,On Hing Industrial Center,
18 On Kui Street, Fanling,N.T.,HongKong
電話 Tel: (852) 3521 0311 傳真 Fax: (852) 3523 0449
電郵 E-mail: info@microtech-lcd.com
Website: www.microtech-lcd.com

module assembly Selection Guide

深圳市邁高達科技有限公司
ShenZhen Microtech Technology Co., Ltd.
深圳市民治街道沙吓村沙吓工业园11栋4楼
4/F, Block 11, Shaxia Industrial Park
LongHua Town, ShenZhen City, Guang Dong
Province,China.
Tel:(86-755) 8372 5193 8372 5037 (Ext.808)
Fax:(86-755) 8372 3887

LCM module assembly Product List

| Size | Display Mode | Part No. | Resolution | Outline Dimension | Active Area | INTERFACE | Remark | |
|------|--------------|--|------------|-------------------|--------------|------------------|----------|---|
| 4.3" | CTP+TFT | MTF04356B0-40+MTP-PG04302-02 | 480*272 | 105.5*67.2*4.40 | 95.04*53.86 | FT5216 | RGB/I2C | MTF04356B0-40+MTP-PG04302-02(Air) |
| | | MTF043WT12A-V1+MTP043GG22A-V1 | 480*272 | 105.5*67.2*5.00 | 95.04*53.86 | FT5216 | RGB/I2C | MTF043WT12A-V1+MTP043GG22A-V1(Air) |
| | | MTF043056B0-40 7-LED300Nits+MTP043GG22A-V1 | 480*272 | 105.5*67.2*5.00 | 95.04*53.86 | GT911 | RGB/I2C | MTF043056B0-40 7-LED300Nits+MTP043GG22A-V1(Air) |
| | | MTF043WT14A-V1+MTP043005 | 480*272 | 105.5*67.2*4.20 | 95.04*53.86 | | RGB | MTF043WT14A-V1+MTP043005 (Air)-RTP |
| | | MTF043056B0-40A+MTP043005 | 480*272 | 105.5*67.2*4.10 | 95.04*53.86 | | RGB | MTF043056B0-40A+MTP043005(Air)-RTP |
| | | MTZ043GG22A02-V1 | 480*272 | 105.5*67.2*5.00 | 95.04*53.86 | GT911 | RGB/I2C | (MTF043WT14A-V1+MTP043GG22A-V1(Air) |
| 5.0" | CTP+TFT | MTZ050GG13A01-V1 | 800*480 | 128.20*94.00*4.90 | 108.00*64.80 | GT911 | RGB/I2C | MTF050PA5SV1.0 B+MTP050GG-13A/CTP(Air) |
| | | MTZ050GG13B01-V1 | 800*480 | 128.20*94.00*4.90 | 108.00*64.80 | GT911 | RGB/I2C | MTF050PA5SV1.0 B+MTP050GG-13B/CTP(Air) |
| | | MTF050HDI-22A+MTP050GG-14A | 720*1280 | 131.4*73.10*3.30 | 95.04*53.86 | GSL3670/HX8394A | RGB/I2C | MTF050HDI-22A+MTP050GG-14A(OCA) |
| | | MTF050HDI-03+MTP050GFF-17A | 720*1280 | 68.30*122.45*2.71 | 61.88*110.02 | FT5336/NT35596 | MIPI/I2C | MTF050HDI-03+MTP050GFF-17A(OCA) |
| | | MTF050PA5SV1.0-550 B0E+MTP050GG-13A | 800*480 | 128.20*84.12*4.80 | 108.00*64.80 | GT911 | RGB/I2C | MTF050PA5SV1.0-550 B0E+MTP050GG-13A/CTP+(Air) |
| 5.5" | CTP+TFT | MTZ0550GFF08A-V1 | 720*1280 | 83.84*136.76*2.85 | 68.04*120.96 | GT911/HX8394D | MIPI/I2C | MTF055HDI-05A+MTP055GFF-08A(OCA) |
| | | MTZ055GFF08A01-V1 | 1080*1920 | 83.84*136.76*2.85 | 68.04*120.96 | GT911/HX8399C | MIPI/I2C | MTF055FHD-02A+MTP055GFF-08A(OCA) |
| | | MTF0550HDI-04+MTP0550GF-02A | 720*1280 | 83.84*136.76*2.80 | 68.04*120.96 | FT6336U/OTM1287A | MIPI/I2C | MTF0550HDI-04+MTP0550GF-02A(OCA) |

邁高達科技有限公司
 Microtech Technology Co.,Ltd.
 香港新界粉嶺安樂街18號安興工業中心5/F樓 505 室
 Unit 505,5/F, On Hing Industrial Center,
 18 On Kui Street, Fanling,N.T.,HongKong
 電話 Tel: (852) 3521 0311 傳真 Fax: (852) 3523 0449
 電郵 E-mail: info@microtech-lcd.com
 Website: www.microtech-lcd.com

**module assembly
 Selection Guide**

深圳市邁高達科技有限公司
 ShenZhen Microtech Technology Co., Ltd.
 深圳市民治街道沙吓村沙吓工业园11栋4樓
 4/F, Block 11, Shaxia Industrial Park
 LongHua Town, ShenZhen City, Guang Dong
 Province,China.
 Tel:(86-755) 8372 5193 8372 5037 (Ext.808)
 Fax:(86-755) 8372 3887

LCM module assembly Product List

| Size | Display Mode | Part No. | Resolution | Outline Dimension | Active Area | INTERFACE | Remark | | |
|-------|--------------|-------------------------------------|------------|--------------------|---------------|-----------|----------|---|--|
| 7.0" | CTP+TFT | MTF070ME050001+MT P070GG-21A | 1200*1920 | 107.00*178.72*3.58 | 94.50*151.20 | GT911 | MIPI/I2C | MTF070ME05000 1+MTP070GG-21A(OCA) | |
| | | MTF0700J16EA (1000Nits) +MTP070GG20 | 1200*1920 | 120.60*197.60*3.55 | 94.50*151.20 | GT911 | MIPI/I2C | MTF0700J16EA (1000Nits) +MTP070GG20(O CA) | |
| | | MTF0700J16EA+MTP70 33 (1000Nits) | 1200*1920 | 106.12*163.77*3.80 | 94.50*151.20 | GT911 | MIPI/I2C | MTF0700J16EA+ MTP7033 (1000Nits)(OCA) | |
| | | MTF0700J16EA+MTP70 33 (350Nits) | 1200*1920 | 105.12*162.07*3.80 | 94.50*151.20 | GT911 | MIPI/I2C | MTF0700J16EA+ MTP7033 (350Nits)(OCA) | |
| | | MTZ070FG03A01-V1 | 1024*600 | 164.90*100.00*4.30 | 154.08*85.92 | | | LVDS | MTF070IB01A+M TP070FG03A- V1(Air)-RTP |
| | | MTZ070FG04A01-V1 | 1024*600 | 165.75*105.39*4.00 | 153.60*90.00 | | | LVDS | MTF070TN01- 40NS01+MTP070 FG04A-V1(Air)- RTP |
| | | MTF070ICN- PB1+MTP7033 | 800*1280 | 105.12*162.07*4.10 | 94.20*150.72 | GT911 | MIPI/I2C | MTF070ICN- PB1+MTP7033(O CA) | |
| | | MTF070ICN- PB1+MTP7033C | 800*1280 | 105.12*162.07*4.10 | 94.20*150.72 | GT911 | MIPI/I2C | MTF070ICN- PB1+MTP7033C(OCA) | |
| | | MTZ070GG25B01-V1 | 1024*600 | 192.00*127.00*5.20 | 153.60*90.00 | GT911 | | LVDS/I2C | MTF070WS02A- V1+MTP070GG25 B-V1(Air) |
| | | MTZ070GG22A01-V1 | 800*480 | 165.00*100.00*7.25 | 154.08*85.92 | GT911 | | RGB/I2C | MTF070TN90V.1(5.7MM)/Original+ MTP070GG- 22A/800*480(Air) |
| | | MTZ070GG22B01-V1 | 800*480 | 165.00*100.00*7.25 | 154.08*85.92 | GT911 | | RGB/I2C | MTF070TN90V.1B /+MTP070GG- 22A(Air) |
| 8.0" | CTP+TFT | MTF080IA3T+MTP1328 B | 800*1280 | 120.00*207.00*4.23 | 107.64*172.22 | GT911 | MIPI/I2C | MTF080IA3T+MT P1328B(OCA) | |
| | | MTF080IA3T+MTP080G G-05A | 800*1280 | 115.20*184.70*4.20 | 107.64*172.22 | GT5688 | MIPI/I2C | MTF080IA3T+MT P080GG- 05A(OCA) | |
| 10.1" | CTP+TFT | MTF101JEA- 3Z1+MTP101GGY-01 | 1920*1200 | 257.06*170.20*3.90 | 216.86*135.54 | GT928 | LVDS/I2C | MTF101JEA- 3Z1+MTP101GGY -01(OCA) | |
| | | MTF101IA- 01D+MTP101GGY-02 (AG) | 1280*800 | 257.06*170.20*4.35 | 216.96*135.60 | GT928 | LVDS/I2C | MTF101IA-01D) +MTP101GGY-02 (AG) (OCA) | |
| | | MTZ101GG01A-V1 | 1280*800 | 257.06*170.20*4.35 | 216.96*135.60 | GT928 | | LVDS/I2C | MTF101IA- 01D+(600nits)MTP 101GGY-01(OCA) |
| | | MTZ101GG02A-V1 | 1280*800 | 257.06*170.20*3.90 | 216.96*135.60 | GT928 | | LVDS/I2C | MTF101IA-01D- V3+MTP101GGY- 02 (AG)(OCA) |

邁高達科技有限公司
Microtech Technology Co.,Ltd.
香港新界粉嶺安厝街18號安興工業中心5/F樓 505 室
Unit 505,5/F,On Hing Industrial Center,
18 On Kui Street, Fanling,N.T.,HongKong
電話 Tel: (852) 3521 0311 傳真 Fax: (852) 3523 0449
電郵 E-mail: info@microtech-lcd.com
Website: www.microtech-lcd.com

module assembly Selection Guide

深圳市邁高達科技有限公司
ShenZhen Microtech Technology Co., Ltd.
深圳市民治街道沙吓村沙吓工业园11栋4樓
4/F, Block 11, Shaxia Industrial Park
LongHua Town, ShenZhen City, Guang Dong
Province,China.
Tel:(86-755) 8372 5193 8372 5037 (Ext.808)
Fax:(86-755) 8372 3887

LCM module assembly Product List

| Size | Display Mode | Part No. | Resolution | Outline Dimension | Active Area | INTERFACE | Remark | |
|-------|--------------|----------------------------------|------------|--------------------|---------------|-----------|----------|--|
| 10.1" | CTP+TFT | MTF101L06-L0Av3.1+MTP101GG-12A | 1024*600 | 252.00*155.50*6.85 | 222.72*125.28 | GT911 | LVDS/I2C | MTF101L06-L0Av3.1+MTP101GG-12A(Air) |
| | | MTF101L06-L0B+MTP101GG-13A-V1 | 1024*600 | 296.00*210.00*7.48 | 222.72*125.28 | GT911 | LVDS/I2C | MTF101L06-L0B+MTP101GG-13A-V1(Air) |
| | | MTF101PA2S-L0A+MTP101014 | 1024*600 | 235.00*143.00*6.70 | 222.72*125.28 | | RGB | MTF101PA2S-L0A+MTP101014(Air) -RTP |
| | | MTF101WS05A-V1+MTP101014 | 1024*600 | 235.00*143.00*6.70 | 222.72*125.28 | | RGB | MTF101WS05A-V1+MTP101014(Air) -RTP |
| 10.6" | CTP+TFT | MTF116EB5S+MTP-GG116169A | 1920*1080 | 270.02*159.16*7.70 | 256.32*144.18 | ILI2511 | edP/USB | MTF116EB5S+MTP-GG116169A(OCA) |
| 12.1" | CTP+TFT | MTF121TD02(450Nits)+MTP121GG-03A | 1280*800 | 301.93*203.93*5.23 | 261.12*163.20 | ILI2511 | LVDS/USB | MTF121TD02(450Nits)+MTP121GG-03A(Air) |
| 12.2" | CTP+TFT | MTF122EA0T+MTP121GG-03A | 1920*1200 | 301.93*203.93*5.23 | 262.77*164.23 | ILI2511 | edP/USB | MTF122EA0T+MTP121GG-03A(OCA) |
| 13.3" | CTP+TFT | MTF133EA0T+MTP133GG-03B | 1920*1080 | 301.93*203.93*5.23 | 293.76*165.24 | ILI2511 | edP/USB | MTF133EA0T+MTP133GG-03B(OCA) |
| | | MTF133EA0T+MTP133GG-04A | 1920*1080 | 324.20*205.80*5.00 | 293.76*165.24 | ILI2511 | edP/USB | MTF133EA0T+MTP133GG-04A(OCA) |
| 15.6" | CTP+TFT | MTZ156GG01A-V1 | 1920*1080 | 394.00*247.00*6.10 | 344.16*193.59 | ILI2511 | edP/USB | MTF156FD01A-V1+MTP156GG01(OCA) |
| 19.0" | CTP+TFT | MTF190ETN011.0+MTP190GG01 | 1280*1024 | 396*324*11.2 | 376.32*301.06 | | LVDS/USB | MTF190ETN01.0+MTP190GG01; 1000 Nits/350 Nits |

邁高達科技有限公司
 Microtech Technology Co.,Ltd.
 香港新界粉嶺安厝街18號安興工業中心5/F樓 505 室
 Unit 505,5/F,On Hing Industrial Center,
 18 On Kui Street, Fanling,N.T.,HongKong
 電話 Tel: (852) 3521 0311 傳真 Fax: (852) 3523 0449
 電郵 E-mail: info@microtech-lcd.com
 Website: www.microtech-lcd.com

Touch Panel Selection Guide

深圳市邁高達科技有限公司
 ShenZhen Microtech Technology Co., Ltd.
 深圳市民治街道沙吓村沙吓工业园11栋4楼
 4/F, Block 11, Shaxia Industrial Park
 LongHua Town, ShenZhen City, Guang Dong
 Province,China.
 Tel:(86-755) 8372 5193 8372 5037 (Ext.808)
 Fax:(86-755) 8372 3887

Capacitive Touch Panel Product List

| Size | Display Mode | Part No. | Resolution | Outline Dimension | Active Area | INTERFACE | Remark | |
|-----------------|--------------|-------------------|-------------|-------------------|-----------------|-----------------|------------------------|----------|
| 1.44" | CTP | MTP144GF-02B | 128*128 | 33.8*35.2*0.95 | 26.5*27.5 | FT6206, I2C | 0.5pitch 6PIN | ES |
| 1.44" | CTP | MTP0144GF03A-V1 | 128*128 | 33.8*35.2*0.95 | 26.5*27.5 | FT6206, I2C | 0.5pitch 6PIN | ES |
| 1.50" | CTP | MTP0144-02A | 240*240 | 33.8*35.2*0.95 | 28.32*28.32 | FT6206, I2C | 0.5pitch 6PIN, TFT1.5" | MP/Stock |
| 2.4" | CTP | MTP-GF024147A-1.0 | 240*320 | 42.72*60.26 | 37.92*50.26 | FT6236U | 1.0pitch, 6PIN | |
| | | MTP0240GF-01A | 240*320 | 48.2*67.72 | 36.32*48.54 | FT6236U | 0.5 pitch, 6PIN | |
| 2.8" | CTP | MTP028GG-05A | 240*320 | 67.4*48.0*1.53 | 44.20*58.6 | GT9147 | 0.5pitch 6PIN | |
| | | MTP028GG-06A | 240*320 | 54.50*85.17*1.88 | 58.6*44.2 | GT911 | 0.5pitch 6PIN | |
| | | MTP028GF-14A | 240*320 | 68.75*49.5*1.4 | 58.6*44.2 | FT6236 | 0.5pitch 6PIN | |
| 3.2" | CTP | MTP-PG032100A | 240*320 | 77.2*55.00*1.0 | 65.0*48.80 | FT5216 | 0.5pitch 6PIN | |
| | | MTP032GG-03B | 240*320 | 83.7*83.7*1.0 | 65.0*48.80 | FT5216 | 0.5pitch 6PIN | |
| | | MTP032H | 320*480 | 78.2*51.20*1.0 | 67.16*44.84 | FT5216 | 0.5pitch 6PIN | |
| 3.5" | CTP | MTP0350M09-GP | 320*240 | 76.4*63*1.56 | 70.81*53.27 | FT5206 | 0.5 Pitch 10PIN | 3.5"-05 |
| | | MTP0350GG-01 | 320*240 | 76.5*63.6*1.6 | 70.08*52.56 | GT911 | 0.5 Pitch 6 PIN | 3.5"-05 |
| | | MTP0350GG-20A | 320*240 | 76.9*63.9*1.45 | 72.08*54.56 | FT5346 | 1.0 Pitch 6 PIN | 3.5"-05 |
| | | MTP1638 | 320*480 | 62.8*93.0*1.43 | 49.96*74.44 | FT5216 | 0.5 Pitch 6 PIN | |
| | | MTP035GG-19A | 320*480 | 63.61*95.41*1.43 | 49.96*74.44 | FT5216 | 0.5 Pitch 6 PIN | |
| | | MTP035GG-22A | 320*480 | 54.66*82.94*1.30 | 49.56*74.0 | GT911 | 0.5 Pitch 6 PIN | |
| | | MTP035GG-5A | 320*480 | 64.0*134*1.3 | 52.2*77.2 | FT5216 | 0.5 Pitch 6 PIN | 3.5"-06 |
| | | MTP035GFF-03B | 640*960 | 62.0*91*1.4 | 50.92*75.88 | FT5336 | 0.5 Pitch 6 PIN | 3.5"-16 |
| | | MTP035GFF-27A | 640*960 | 63.00*91.50*1.00 | 50.52*75.48 | FT5436 | 0.5 Pitch 6 PIN | 3.5"-16 |
| | | MTP035GG-28A | 320*480 | 54.66*84.44*1.46 | 49.56*74.04 | GT911 | 0.5 Pitch 6 PIN | 3.5"-06 |
| | | MTP035GFF29A-V1 | 320*480 | 87.60*380.50*3.45 | 49.56*74.04 | FT5436 | 0.5 Pitch 6 PIN | 3.5"-29 |
| | | MTP035GFF30A-V1 | 320*480 | 94.96*100.60*1.15 | 49.56*74.04 | FT5436 | 0.5 Pitch 6 PIN | 3.5"-06 |
| | | MTP035GG31A-V1 | 320*480 | 69.00*128.40*1.85 | 49.56*74.04 | GT911 | 0.5 Pitch 6 PIN | 3.5"-06 |
| MTP035GFF32A-V1 | 320*480 | 55.40*83.74*0.85 | 50.52*75.48 | FT5436 | 0.5 Pitch 6 PIN | 3.5"-16 | | |
| 3.95" | CTP | MTP040GFF23A-V1 | 480*480 | 80.20*83.81*1.53 | 72.46*70.78 | GT917S | 0.5 Pitch 6 PIN | 3.95-02 |
| 3.97" | CTP | MTP0397GG-01A | 480*800 | 118.0*78.0*1.3 | 87.40*52.84 | FT6336 | 0.5 Pitch 6 PIN | MP |
| 4.0" | CTP | MTP040GF-10A | 480*800 | 62.0*115.2*0.95 | 52.64*87.2 | FT6236 | 0.5pitch 6 PIN | MP |
| | | MTP040GF-11A | 800*480 | 109.8*98.7*1.4 | 87.2*52.64 | FT6236u | 0.5pitch 6 PIN | MP |
| | | MTP040GF-12A | 480*800 | 62.0*115.2*0.95 | 52.64*87.2 | FT6236u | 0.5pitch 6 PIN | MP |
| | | MTP040GF-13A | 800*480 | 108.*65.5*1.4 | 87.2*52.64 | FT6236u | 0.5pitch 6 PIN | MP |
| | | MTP040GF-14A | 800*480 | 106.24*81.35*1.15 | 86.0*50.64 | FT6236u | 0.5pitch 6 PIN | MP |
| | | MTP040GF-15A | 800*480 | 106.24*81.35*1.15 | 86.0*50.64 | FT6236u | 0.5pitch 6 PIN | MP |
| | | MTP040GF-16A | 800*480 | 116.*116*1.0 | 86.0*51.4 | FT6236u | 0.5pitch 6 PIN | |
| | | MTP040GF-17A | | 81.8*75.8*1.35 | 71.0*65 | | 1.0pitch 8PIN | NO IC |
| | | MTP040GF-18A | 480*800 | 59.07*101.65*1.4 | 87.2*52.64 | FT6236u | 0.5pitch 6 PIN | MP |
| | | MTP040GF-19A | 800*480 | 106.24*81.35*1.15 | 86.0*50.64 | FT6236u | 0.5pitch 6 PIN | |
| | | MTP040GF-22A | 800*480 | 117.50*93.80*0.95 | 87.22*50.6 | FT6236u | 0.5pitch 6 PIN | MP |
| | | MTP040GF-24A | 480*800 | 82.50*119.50*1.85 | 87.22*50.6 | GT911 | 0.5pitch 6 PIN | |
| | | 4.3" | CTP | MTP0430M09-GP | 480*272 | 103.1*65.1*1.41 | 52.84*87.40 | FT5306 |
| MTP043PG-01A | 480*272 | | | 105.1*66.8*1.40 | 95.04*53.86 | GT911 | 0.5pitch 6 PIN | |
| MTP043PG-02A | 480*272 | | | 105.5*66.0*1.50 | 96.04*54.86 | GT911 | 0.5pitch 8 PIN | |
| MTP043GG-05 | 480*272 | | | 107.5*69.2*1.38 | 96.0*54.96 | GT911 | 0.5 Pitch 6 PIN | |

邁高達科技有限公司
 Microtech Technology Co.,Ltd.
 香港新界粉嶺安厝街18號安興工業中心5/F樓 605 室
 Unit 505,5/F,On Hing Industrial Center,
 18 On Kui Street, Fanling,N.T.,HongKong
 電話 Tel: (852) 3521 0311 傳真 Fax: (852) 3523 0449
 電郵 E-mail: info@microtech-lcd.com
 Website: www.microtech-lcd.com

Touch Panel Selection Guide

深圳市邁高達科技有限公司
 ShenZhen Microtech Technology Co., Ltd.
 深圳市民治街道沙吓村沙吓工业园11栋4楼
 4/F, Block 11, Shaxia Industrial Park
 LongHua Town, ShenZhen City, Guang Dong
 Province,China.
 Tel:(86-755) 8372 5193 8372 5037 (Ext.808)
 Fax:(86-755) 8372 3887

Capacitive Touch Panel Product List

| Size | Display Mode | Part No. | Resolution | Outline Dimension | Active Area | INTERFACE | Remark | |
|---------------|--------------|-------------------|--------------|-------------------|------------------|-----------|------------------|-----------|
| 4.3" | CTP | MTP043GG-21A | 480*272 | 107.5*69.2*1.38 | 96.0*54.96 | FT5216 | 0.5 Pitch 6 PIN | |
| | | MTP-GG043-01 | 480*272 | 104.16*66.21*1.08 | 96.04*54.86 | FT5216 | 0.5 Pitch 10PIN | |
| | | MTP-PG043-02 | 480*272 | 104.8*63.8*1.08 | 96.14*54.76 | FT5216 | 0.5 Pitch 10PIN | |
| | | MTP1860 | 480*272 | 151.38*92.66*3.2 | 97.92*55.37 | CY8CMA340 | 0.5pitch 10 PIN | ES |
| 5.0" | CTP | MTP050GG-01 | 800*480 | 128.2*79.7*0.7 | 107.95*64.8 | GT910 | 0.5 Pitch 6 PIN | TFT-01G/F |
| | | MTP-PG05002-01 | 480*272 | 119.8*74.5*1.08 | 108*64.8 | FT5216 | 0.5 Pitch 10 PIN | |
| 5.0" | CTP | MTP-PG05003-02 | 800*480 | 119.8*74.5*1.08 | 108*64.8 | FT5216 | 0.5 Pitch 10 PIN | |
| | | MTP050GG-2B | 800*480 | 120.7*76.3*1.6 | 108.7*65.5 | GT911 | 0.5 Pitch 6 PIN | |
| 5.0" | CTP | MTP050GG-12B | 800*480 | 143.86*96.1*1.75 | 108.7*65.6 | GT911 | 0.5 Pitch 6 PIN | |
| | | MTP050GFF-02A | 720*1280 | 129.4*79.1*1.53 | 111.4*63.1 | ZT7538 | 0.5 Pitch 6 PIN | |
| | | MTP050GFF-03A | 720*1280 | 80.58*145.58*1.0 | 63.5*111.3 | FT6336 | 0.5 Pitch 6 PIN | |
| | | MTP050GG-13A | 800*480 | 128.2*84.1*1.4 | 108.6*65.4 | GT911 | 0.5 Pitch 6 PIN | TFT-01G/F |
| | | MTP050C318A_V1.0 | 800*480 | 122.6*78.2*1.08 | 108.8*65.6 | GT911 | 1.0 Pitch 6 PIN | |
| | | MTP050GG-13B | 800*400 | 84.1*128.2*1.4 | 65.4*108.6 | GT911 | 0.5 Pitch 6 PIN | |
| | | MTP050GG-14A | 720*1280 | 73.1*131.4*1.4 | 63.5*111.3 | GSL3670 | 0.5 Pitch 6 PIN | |
| | | MTP050GG-15A | 1200*1920 | 78.0*133.0*1.4 | 62.89*110.9 | GT911 | 0.5 Pitch 6 PIN | |
| | | MTP050GF-16A | 720*1280 | 73.1*131.4*1.4 | 63.05*111.3 | FT6236 | 0.5 Pitch 6 PIN | |
| | | MTP050GFF-17A | 720*1280 | 77.0*147.55*1.05 | 63.05*113.45 | FT5336 | 0.5 Pitch 10 PIN | |
| | | MTP050GFF19B-V1 | 720*1280 | 77.01*147.50*1.15 | 62.85*111.10 | FT5436 | 0.5 Pitch 10 PIN | 5.0-25 |
| | | MTP050GG-20A | 800*400 | 120.70*76.30*1.85 | 109.00*65.80 | GT911 | 0.5 Pitch 6 PIN | |
| MTP050GFF-21A | 720*1280 | 68.40*138.80*1.05 | 62.68*110.82 | FT5436 | 0.5 Pitch 10 PIN | | | |
| 5.5" | CTP | MTP0550GF-02A | 720*1280 | 83.84*136.76*1.0 | 69.04*121.96 | FT6336 | 0.5 Pitch 6 PIN | |
| | | MTP0550GFF-02A | 720*1280 | 136.76*83.84*1.05 | 69.04*121.96 | GT911 | 0.5 Pitch 6 PIN | |
| | | MTP0550GF-03 | 720*1280 | 77.0*158.3*0.85 | 69.04*121.96 | FT6336 | 0.5 Pitch 6 PIN | |
| | | MTP055GFF-08A | 720*1280 | 83.84*136.76*1.05 | 69.04*121.96 | GT911 | 0.5 Pitch 6 PIN | MP |
| | | MTP055GFF-09A | 720*1280 | 83.84*136.76*1.05 | 69.04*121.96 | GT911 | 0.5 Pitch 6 PIN | |
| 5.6" | CTP | MTP056GG-01 | 640*480 | 125.9*99.4*1.73 | 113.9*85.67 | GT911 | 0.5pitch 6PIN | |
| 5.7" | CTP | MTP0570M01-GP | 640*480 | 124.7*100*1.56 | 118.8*90.6 | FT5406 | 0.5 Pitch 8PIN | |
| | | MTP057GG-02A | 640*480 | 124.36*99.8*1.55 | 117.5*88.7 | FT5406 | 0.5 Pitch 10PIN | |
| | | MTP057GG-03A | 640*480 | 162.36*130.0*1.55 | 116.5*87.7 | GT911 | 0.5 Pitch 6PIN | |
| 6.0" | CTP | MTP601890-GG | 720*1280 | 82.2*161.2*1.3 | 74.98*132.22 | FT5316 | 0.5 Pitch 6 PIN | |
| | | MTP060GF-05A | 720*1280 | 82.2*161.2*1.05 | 74.98*132.22 | FT5316 | 0.5 Pitch 6 PIN | |
| | | MTP2382 | 720*1280 | 93.2*167.2*1.67 | 78.8*138.0 | GT911 | 0.5 Pitch 6 PIN | |
| 6.2" | CTP | MTP062PG-01 | 800*480 | 155.00*88.00*1.50 | 139.60*78.10 | GT911 | 0.5 Pitch 6 PIN | |
| 6.5" | CTP | MTP065PG01A | 800*320 | 163.4*68.8*1.50 | 154.60*58.43 | GT911 | 0.5 Pitch 6 PIN | |
| 7.0" | CTP | MTP07GG-05A | 800*480 | 171.2*114.8*1.40 | 156.8*93.4 | GT911 | 0.5 Pitch 10 PIN | |
| | | MTP1356V1 | 800*480 | 164.2*114.8*1.60 | 155.08*86.92 | GT911 | 0.5 Pitch 10 PIN | |
| | | MTP07GG-11A | 800*480 | 165.0*100.0*1.45 | 154.08*87.84 | FT5216 | 0.5 Pitch 6 PIN | |
| | | MTP07GG-13A | 800*480 | 184.6*123.3*1.45 | 154.08*93.84 | FT5316 | 0.5 Pitch 6 PIN | |
| | | MTP07GG-13B | 800*480 | 165.0*100.0*1.45 | 154.08*93.84 | FT5316 | 0.5 Pitch 6 PIN | |
| | | MTP07GG-13C | 800*480 | 164.5*103.8*1.41 | 154.08*93.00 | GT911 | 0.5 Pitch 6 PIN | |
| | | MTP-PG-07038A | 800*480 | 163.8*97.06*1.45 | 154.08*85.92 | GT911 | 0.5 Pitch 6 PIN | |
| | | MTP-PG-07018A-01 | 800*480 | 163.8*97.06*1.45 | 154.08*85.92 | GT911 | 1.0 Pitch 6 PIN | |

邁高達科技有限公司
Microtech Technology Co.,Ltd.
香港新界粉嶺安厝街18號安興工業中心5/F樓 505 室
Unit 505,5/F,On Hong Industrial Center,
18 On Kui Street, Fanling,N.T.,HongKong
電話 Tel: (852) 3521 0311 傳真 Fax: (852) 3523 0449
電郵 E-mail: info@microtech-lcd.com
Website: www.microtech-lcd.com

Touch Panel Selection Guide

深圳市邁高達科技有限公司
ShenZhen Microtech Technology Co., Ltd.
深圳市民治街道沙吓村沙吓工业园11栋4樓
4/F, Block 11, Shaxia Industrial Park
LongHua Town, ShenZhen City, Guang Dong
Province,China.
Tel:(86-755) 8372 5193 8372 5037 (Ext.808)
Fax:(86-755) 8372 3887

Capacitive Touch Panel Product List

| Size | Display Mode | Part No. | Resolution | Outline Dimension | Active Area | INTERFACE | Remark | |
|--------------|--------------|--------------------|--------------|--------------------|----------------|-------------|-------------------|-------|
| 7.0" | CTP | MTP1402-7.0 | 800*480 | 174.8*111.0*1.45 | 155.08*86.92 | GT911 | 0.5 Pitch 6 PIN | |
| | | MTP0700M09-GP | 800*480 | 164*104*1.56 | 154*93.05 | I2C | 1.0pitch 10PIN | IND |
| | | MTP7.0M | 800*480 | 186.44*111.24*1.6 | 155.08*86.92 | | 0.5 Pitch 30 PIN | NO IC |
| | | MTP070GG24A-USB | 800*480 | 164.9*99.8*1.92 | 155.08*86.92 | USB | 4 Pin USB | |
| | | MTP070-001-V1 | 800*480 | 170.85*113.85*4.75 | 153.4*92.44 | USB | 5 Pin USB | |
| | | MTP07GG-07A | 1024*600 | 170.4*125.0*1.38 | 154.08*93.0 | GT911, I2C | 0.5 Pitch 6 PIN | MP |
| | | MTP07GG-10A | 1024*600 | 234.4*135.8*1.38 | 154.08*93.0 | GT911, I2C | 0.5 Pitch 6 PIN | ES |
| | | MTP130413 | 1024*600 | 166.7*106.9*1.4 | 156.5*92.9 | GT911, I2C | 0.5 Pitch 6 PIN | MP |
| | | MTP07GG-12A | 1024*600 | 168.8*104.8*1.45 | 154.4*93.44 | GT911, I2C | 0.5 Pitch 6 PIN | |
| | | MTP170330 | 1024*600 | 166.5*105.29*1.4 | 156.0*92.4 | GT911, I2C | 0.5 Pitch 6 PIN | MP |
| | | MTP07GG-14A | 1024*600 | 165.75*105.39*2.65 | 154.4*90.8 | FT5426, I2C | 0.5 Pitch 8 PIN | |
| | | MTP07GG-17A | 1024*600 | 180*115*1.45 | 154.6*91.0 | GT911, I2C | 0.5 Pitch 6 PIN | |
| | | MTP070GG-05A | 1024*600 | 171.2*114.8*1.4 | 152.3*91.2 | GT911, I2C | 0.5 Pitch 10 PIN | |
| | | MTP1132 | 1024*600 | 185.01*121.4 | 154.6*91.0 | GT911, I2C | 0.5 Pitch 10 PIN | |
| | | MTP7033B | 800*1280 | 106.12*163.77*1.4 | 95.0*151.52 | GT911, I2C | 0.5 Pitch6 PIN | |
| | | MTP295-070-V0 | 1200*1920 | 106.12*163.77*1.4 | 95.0*151.52 | GT911, I2C | 0.5 Pitch6 PIN | |
| | | MTP7033 | 1200*1920 | 106.12*163.77*1.4 | 95.0*151.52 | GT911, I2C | 0.5 Pitch6 PIN | |
| | | MTP070GG19 | 1200*1920 | 113.70*175.80*1.4 | 95.0*151.52 | GT911, I2C | 0.5 Pitch6 PIN | |
| | | MTP070GG20 | 1200*1920 | 120.60*197.60*1.4 | 95.0*151.52 | GT911, I2C | 0.5 Pitch6 PIN | |
| | | MTP070GG-21A | 1200*1920 | 107.00*178.82*1.45 | 95.00*151.52 | GT911, I2C | 0.5 Pitch6 PIN | |
| MTP070GG-22A | 800*480 | 165.00*100.00*1.45 | 154.80*87.84 | GT911, I2C | 0.5 Pitch6 PIN | | | |
| MTP070GG-25A | 1042*600 | 165.65*105.29*1.40 | 156.00*92.40 | GT911, I2C | 0.5 Pitch6 PIN | | | |
| 8.0" | CTP | MTP1441 | 800*480 | 200.31*124.81 | 177.64*100.36 | FT5406, I2C | 1.0pitch 10PIN | |
| | | MTP2554 | 800*480 | 200.31*124.81 | 177.64*100.36 | FT5336, I2C | 0.5 pitch 6 PIN | |
| | | MTP080GG-02A | 1024*768 | 145.1*193.0*1.5 | 122.5*163.05 | GT911 | 1.0pitch 6 PIN | |
| | | MTP801145-GG | 1024*768 | 145.1*193.0*1.5 | 122.5*163.05 | GT911 | 1.0pitch 6 PIN | |
| | | MTP1309 | 1024*768 | 183.1*141.0*1.5 | 164.8*123.1 | GT911 | 0.5 pitch 6 PIN | |
| | | MTP21-080-V0 | 1024*768 | 194.66*135.26*1.4 | 160.71*120.76 | GT911, I2C | 0.5 Pitch 6 PIN | MP |
| | | MTP080-001-V1 | 1024*768 | | | USB | 5 PIN, USB | MP |
| | | MTP080GG-01 | 800*1280 | 119..8*208.1*1.5 | 107.8*172.2 | FT5406 | 0.5pitch 12PIN | |
| | | MTP080GG-05A | 800*1280 | 115.2*184.1*1.5 | 107.8*172.2 | GT5688 | 0.5pitch 6PIN | |
| | | MTP-1328B | 800*1280 | 112.0*207.1*1.63 | 10.24*172.82 | GT911 I2C | 0.5pitch 6PIN | |
| | | MTP801759 | 800*1280 | 119..8*208.1*1.5 | 107.8*172.2 | FT5406 | 0.5pitch 12PIN | |
| 8.9" | CTP | MTP2231 | 2560*1600 | 202.09*133.1*2.0 | 193.0*121.0 | GT928 | 0.5 Pitch 6 PIN | |
| 9.0" | CTP | MTP090PG-01 | 1280*800 | 206.76*135.06*1.45 | 195.02*113.4 | GT911 | 0.5 Pitch 6 PIN | |
| | | MTP090PG-05 | 800*480 | 129.45*213.26*1.0 | 113.4*195.07 | GT9271 | 0.5 Pitch 6 PIN | |
| | | MTP090PG-01 | 1280*800 | 206.76*135.06*1.45 | 195.02*113.4 | GT911 | 0.5 Pitch 6 PIN | |
| | | MTP090PG-05 | 800*480 | 129.45*213.26*1.0 | 113.4*195.07 | GT9271 | 0.5 Pitch 6 PIN | |
| 9.7" | CTP | MTP097GG-01 | 1024*768 | 249.1*186.7*1.87 | 197.61*148.46 | GT928 | 0.5pitch 12PIN | |
| | | MTP097GG-02A | 1024*768 | 236.7*183.6*1.375 | 196.6*147.5 | I2C | 0.5pitch 12PIN | |
| | | MTP9.7A | 1024*768 | 236.7*183.60*1.4 | 197.61*148.46 | No lc | 0.5 Pitch, 50 PIN | |
| | | MTP097GFF01 | 1536*2048 | 185.92*243.71*2.0 | 148.6*197.87 | GT928, I2C | 0.5 Pitch 6PIN | |

邁高達科技有限公司
 Microtech Technology Co.,Ltd.
 香港新界粉嶺安厝街18號安興工業中心5/F樓 605 室
 Unit 505,5/F,On Hing Industrial Center,
 18 On Kui Street, Fanling,N.T.,HongKong
 電話 Tel: (852) 3521 0311 傳真 Fax: (852) 3523 0449
 電郵 E-mail: info@microtech-lcd.com
 Website: www.microtech-lcd.com

Touch Panel Selection Guide

深圳市邁高達科技有限公司
 ShenZhen Microtech Technology Co., Ltd.
 深圳市民治街道沙吓村沙吓工业园11栋4楼
 4/F, Block 11, Shaxia Industrial Park
 LongHua Town, ShenZhen City, Guang Dong
 Province,China.
 Tel:(86-755) 8372 5193 8372 5037 (Ext.808)
 Fax:(86-755) 8372 3887

Capacitive Touch Panel Product List

| Size | Display Mode | Part No. | Resolution | Outline Dimension | Active Area | INTERFACE | Remark | | |
|-------------------|--------------|-------------------|--------------|--------------------|---------------|------------------|-------------|-----------|-----------|
| 10.1 | CTP | MTP1402 | 1024*600 | 259.5*161.66 | 224.54*126.77 | GT911, I2C | 0.5 Pitch | 10PIN | MP |
| | | MTPXWC1204 | 1024*600 | 235.0*143.0*1.7 | 222.12*125.68 | GT911, I2C | 0.50 Pitch; | 6 PIN | |
| | | MTPGG101-304 | 1024*600 | 234.5*142.5*1.95 | 222.52*125.38 | FT5526, I2C | 0.50 Pitch; | 6 PIN | |
| | | MTP101GG-09A | 1280*800 | 257.9*169*1.7 | 217.96*136.6 | FT5406, I2C | 0.50Pitch; | 6 PIN | |
| | | MTP010GG-10A | 1280*800 | 265.8*152.4*1.7 | 219.8*138.0 | GT9271, I2C | 0.50Pitch; | 6 PIN | |
| | | MTP101GG-12A | 1024*600 | 252.0*155.4*1.45 | 223.72*126.28 | GT911, I2C | 0.50 Pitch; | 6 PIN | |
| | | MTP101GG-13A | 1024*600 | 296.0*210.0*1.7 | 224.5*126.70 | GT911, I2C | 0.50 Pitch; | 7 PIN | |
| | | MTP101GG-14A | 1920*1200 | 263.8*165.5*1.45 | 218.0*136.64 | HY4635-N068, I2C | 0.50 Pitch; | 10 PIN | |
| | | MTPYJ101V0 | 800*1280 | 150.46*250.36*1.66 | 136.36*217.58 | GSL3680,I2C | 0.50Pitch; | 6 PIN | |
| | | MTP101GGY-01 | 1280*800 | 257.06*170.2*1.45 | 218*136.64 | GT928,I2C | 0.5 Pitch, | 10 PIN | MP-S/A |
| | | MTP101GGY-02 | 1280*800 | 257.06*170.2*1.45 | 218*136.64 | GT928,I2C | 0.5 Pitch, | 10 PIN | MP-S/A |
| | | MTP010GG-01B | 1280*800 | 228.86*105.54*1.45 | 218*136.64 | USB | USB 5 PIN | | MP-S/A |
| | | MTP101GG17A | 1280*800 | 259.04*181.48 | 215.76*134.40 | GT9271 i2c | 0.50Pitch; | 6 PIN | |
| | | MTP101GG19A | 1280*800 | 276.40*187.50 | 218.80*137.48 | HY4635 i2c | 0.50Pitch; | 10PIN | |
| | | MTP101GG-02A | 1280*800 | 252.8*159.0*1.92 | 217.76*136.4 | USB | 1.0 Pitch, | 6 PIN | |
| | | MTP010GG-05A | 1280*800 | 235.0*143.0*1.7 | 222.7*125.28 | USB | 1.0Pitch; | 4 PIN | USB |
| | | MTP101GFF-30A | 1280*800 | 229.46*149.1*1.9 | 216.96*135.6 | GT928 USB | 0.5 Pitch; | 5 Pin | |
| | | MTP101GG-02A | 1280*800 | 252.8*159.0*1.92 | 217.76*136.4 | USB | 1.0 Pitch, | 6 PIN | |
| | | MTP010GG-05A | 1280*800 | 235.0*143.0*1.7 | 222.7*125.28 | USB | 1.0Pitch; | 4 PIN | USB |
| | | MTP101GG23A | 1280*800 | 248.8*174.52*1.4 | 217.59*136.39 | USB | 0.5 Pitch, | 10 PIN | |
| MTP101GFF-30A | 1280*800 | 229.46*149.1*1.9 | 216.96*135.6 | USB | 0.5 Pitch; | 5 Pin | | | |
| MTP101-169-001-V1 | 1280*800 | 257.2*159.7*1.45 | 223.0*125.2 | USB | USB 5 PIN | | | | |
| MTP101-169-001-V1 | 1280*800 | 262.7*178.7*1.53 | 217.76*136.4 | USB | USB 5 PIN | | | | |
| MTP101C315A_V1.0 | 1280*800 | 256.49*174.48*2.3 | 218.5*135.7 | I2C | 0.5 Pitch, | 10PIN | | | |
| MTP101C315B_V1.0 | 1280*800 | 256.49*174.48*2.3 | 218.5*135.7 | USB/UART | UART 4 PIN | USB 4 PIN | | | |
| 10.2" | CTP | MTP102-001-V3 | 800*480 | 235.0*149.52*1.43 | 222.7*132.42 | USB | USB, 5 Pin | | |
| 10.4" | CTP | MTP1598 | 1024*768 | 225.2*173.7*1.75 | 212.2*159.4 | USB | 1.0Pitch; | 4 PIN | |
| | | MTP10.4-015-V1 | 1024*768 | 252.8*200.3*1.85 | 211.2*158.7 | USB | USB 5 PIN | | |
| 11.6" | CTP | MTP116C324X_V1.0 | | 349.9*222.9 | 309.39*173.95 | USB, UART | UART 4 PIN | USB 4 PIN | |
| | | MTP11604A | | 267.0*165.5 | 256.13*144.5 | I2C | 1.0pitch | 6PIN | |
| | | MTP1160M00-GP | | 267.5*161.0 | 257.12*145.02 | I2C | 1.0pitch | 8PIN | |
| | | MTP116GG01 | | 465.5*175.0*2.0 | 257.12*145.02 | USB | 2.54 pitch | 4PIN | |
| 12.1" | CTP | MTP121C3XXA_V1.0 | | 301.93*203.93 | 262.13*164.13 | I2C | 0.5 Pitch; | 10PIN | |
| | | MTP121M5051 | | 287.9*226.1 | 247.0*185.5 | I2C | 0.5 Pitch; | 12PIN | |
| | | MTP12.1-002-V1 | | 313.2*215.2 | 263.12*165.2 | USB | USB 5PIN | | |
| | | MTP359-121A | | 278.0*184 | 263.12*165.2 | I2C | 0.50Pitch; | 12 PIN | |
| | | MTP121GG02 | 1280*800 | 301.12*213.1*1.98 | 262.13*164.13 | GT928,I2C | 1.0pitch | 6PIN | |
| | | MTP121GG03 | 1280*800 | 301.93*203.93*2.1 | 262.13*164.13 | ILI2511,I2C | 4PPIN/6PIN | 座子 | USB/I2C |
| 13.3" | CTP | MTP133C301A_V1.0 | | 324.57*202.97 | 294.2*165.8 | USB, UART | UART 4 PIN | USB 4 PIN | |
| | | MTP133GG-01A | | 317.4*188.0 | 295.*166.57 | USB | USB 5PIN | | |
| | | MTP133GG02 | 1920*1080 | 315.76*190.74*2.7 | 293.76*165.24 | USB | | | |
| 13.3" | CTP | MTP133GG-04A | 1920*1080 | 324.20*205.80*2.0 | 293.80*165.20 | USB, IIC | IIC 6 PIN | USB 4 PIN | EXC Board |
| | | MTP133GG-05A | 1920*1080 | 318.00*189.00*1.85 | 294.20*165.65 | USB, IIC | IIC 6 PIN | USB 4 PIN | COF |

邁高達科技有限公司
 Microtech Technology Co.,Ltd.
 香港新界粉嶺安厝街18號安興工業中心5/F樓 605 室
 Unit 505,5/F,On Hing Industrial Center,
 18 On Kui Street, Fanling,N.T.,HongKong
 電話 Tel: (852) 3521 0311 傳真 Fax: (852) 3523 0449
 電郵 E-mail: info@microtech-lcd.com
 Website: www.microtech-lcd.com

Touch Panel Selection Guide

深圳市邁高達科技有限公司
 ShenZhen Microtech Technology Co., Ltd.
 深圳市民治街道沙吓村沙吓工业园11栋4楼
 4/F, Block 11, Shaxia Industrial Park
 LongHua Town, ShenZhen City, Guang Dong
 Province,China.
 Tel:(86-755) 8372 5193 8372 5037 (Ext.808)
 Fax:(86-755) 8372 3887

Capacitive Touch Panel Product List

| Size | Display Mode | Part No. | Resolution | Outline Dimension | Active Area | INTERFACE | Remark |
|-------|--------------|-------------------|------------|-------------------|----------------|-----------|----------------------|
| 14.0" | CTP | MTP141C322A_V1.0 | | 349.9*222.9 | 309.39*173.95 | USB, UART | UART 4 PIN USB 4 PIN |
| | | MTP14-002-V1 | | 330.9*222 | 310.4*174.95 | USB | USB 5PIN |
| 15.0" | CTP | MTP150C320A_V1.0 | | 346.7*270.4 | 305.6*229.6 | USB, UART | UART 4 PIN USB 4 PIN |
| | | MTP150M5050 | | 346.08*270.02 | 305*229.01 | USB | USB 4PIN |
| | | MTP15GG-01A | | 325.5*250 | 305.*229 | USB | 0.5 pitch 4PIN |
| | | MTP15-017-V1 | | 339.5*264 | 304.*228 | USB | USB 5PIN |
| 15.6" | CTP | MTP156C302A_V1.0 | | 399.0*248.0 | 343.5*192.8 | USB, UART | UART 4 PIN USB 4 PIN |
| | | MTP156M5074-1 | | 386.4*236.0 | 345.0*194.4 | USB | USB 4PIN |
| | | MTP15.6-003-V1 | | 386.8*273.12 | 345.23.*194.54 | UART& USB | UART 5PIN USB 5PIN |
| | | MTP156GG01 | | 390.0*248.0*2.9 | 345.16*194.59 | USB | |
| 17.0" | CTP | MTP170C313A_V1.0 | | 456.75*277.25 | 408.7*229.0 | USB, UART | UART 4 PIN USB 4 PIN |
| | | MTP170GG-06B | | 377.5*309 | 338.92.*271.34 | | 122PIN |
| | | MTP17.0-006-V1 | | 378.92*311.34 | 337.92.*270.34 | UART& USB | UART 5PIN USB 5PIN |
| 17.3" | CTP | MTP17.3-001-V1 | | 402.89*243.11 | 382.89.*215.11 | UART& USB | UART 5PIN USB 5PIN |
| 18.5" | CTP | MTP185C303A_V1.0 | | 456.75*277.25 | 408.7*229.0 | USB, UART | UART 4 PIN USB 4 PIN |
| | | MTP18.5-004-V1 | | 454.8*275.0 | 409.8.*230.4 | UART& USB | UART 5PIN USB 5PIN |
| 19.0" | CTP | MTP19MCT0009A_V1 | | 398.0*326.0 | 380.32.*305.34 | I2C & USB | I2C 10PIN USB 4PIN |
| | | MTP19-007-V1 | | 460.4*307.3 | 408.24.*255.15 | UART& USB | UART 5PIN USB 5PIN |
| | | MTP19-014-V3 | | 421.6*346.0 | 376.32.*301.06 | UART& USB | UART 5PIN USB 5PIN |
| | | MTP190GG01 | | 421.0*360.0*3.2 | 377.32*302.06 | USB | |
| 19.5" | CTP | MTP19.5-001-V1 | | 464.0*285.11 | 434.0.*238.11 | USB | USB 5PIN |
| 21.5" | CTP | MTP215C304B_V1.0 | | 532.5*325.6 | 475.5*266.6 | USB, UART | UART 4 PIN USB 4 PIN |
| | | MTP215GG-04A | | 533.4*324.8 | 476.64.*268.1 | I2C | 10PIN |
| | | MTP21.5-006-V1 | | 538.11*329.6 | 476.8.*268.3 | UART& USB | UART 5PIN USB 5PIN |
| 24.0" | CTP | MTP236B308A_V1.0 | | 588.95*356.55 | 522.1*294.4 | USB, UART | UART 4 PIN USB 4 PIN |
| | | MTP24MAB0006A_V2. | | 572.6*341.6 | 527.20.*296.6 | I2C & USB | I2C 10PIN USB 5PIN |
| | | MTP23.8-003-V2 | | 591.6*358.69 | 527.54.*296.96 | UART& USB | UART 5PIN USB 5PIN |
| 27.0" | CTP | MTP270C319B_V1.0 | | 656.02*394.02 | 598.1*336.64 | USB, UART | UART 4 PIN USB 4 PIN |
| | | MTP27MAB007A_V2.1 | | 646.5*386.8 | 597.60.*336.15 | I2C & USB | I2C 10PIN USB 5PIN |
| | | MTP27-001-V1 | | 668.0*410 | 599.*338 | UART& USB | UART 5PIN USB 5PIN |
| 31.5" | CTP | MTP31.5-001-V1 | | 769.4*463.9 | 699.40.*393.9 | UART& USB | UART 5PIN USB 5PIN |
| 32.0" | CTP | MTP320C314A_V1.0 | | 757.12*450.6 | 699.4*393.8 | USB, I2C | I2C 10PIN, USB 4PIN |
| | | MTP32MAB008E_V1.1 | | 757.12*450.6 | 699.4.*393.8 | I2C & USB | I2C 10 PIN USB 5PIN |
| 32.0" | CTP | MTP320C314A_V1.0 | | 757.12*450.6 | 699.4*393.8 | USB, I2C | I2C 10PIN, USB 4PIN |
| | | MTP32MAB008E_V1.1 | | 757.12*450.6 | 699.4.*393.8 | I2C & USB | I2C 10 PIN USB 5PIN |
| | | MTP32-005-V1 | | 778.02*467.62 | 702.8.*397.4 | UART& USB | UART 5PIN USB 5PIN |
| | | MTP320GG-05A | | 781.02*476.14 | 698.7.*393.3 | USB | USB 5PIN |
| 42.0" | CTP | MTP42MAB0047A_V1 | | 991.2*585.6 | 923.2.*521.1 | USB | USB 5PIN |
| | | MTP42-001-V1 | | 1001.24*594.26 | 931.24*524.26 | USB | USB 5PIN |
| 43.0" | CTP | MTP426C305E_V1.0 | | 1040.4*629.4 | 942.0*531.0 | USB | USB 5PIN |
| 43.0" | CTP | MTP43MAB0050B_V1 | | 998.5*586.8 | 942.9*531.25 | USB | USB 5PIN |
| 46.0" | CTP | MTP46-001-V1 | | 1099.5*654.07 | 1018.48*586.8 | USB | USB 5PIN |
| 49.0" | CTP | MTP490C316A_V1.0 | | 1164.8*696.0 | 1074.8*606.0 | USB | USB 5PIN |

邁高達科技有限公司
 Microtech Technology Co.,Ltd.
 香港新界粉嶺安居街18號安興工貿中心5/F樓 505 室
 Unit 505,5/F,On Hing Industrial Center,
 18 On Kui Street, Fanling,N.T.,HongKong
 電話 Tel: (852) 3521 0311 傳真 Fax: (852) 3523 0449
 電郵 E-mail: info@microtech-lcd.com
 Website: www.microtech-lcd.com

**Touch Panel
 Selection Guide**

深圳市邁高達科技有限公司
 ShenZhen Microtech Technology Co., Ltd.
 深圳市民治街道沙吓村沙吓工业园11栋4樓
 4/F, Block 11, Shaxia Industrial Park
 LongHua Town, ShenZhen City, Guang Dong
 Province,China.
 Tel:(86-755) 8372 5193 8372 5037 (Ext.808)
 Fax:(86-755) 8372 3887

Capacitive Touch Panel Product List

| Size | Display Mode | Part No. | Resolution | Outline Dimension | Active Area | INTERFACE | Remark |
|-------|--------------|------------------|------------|-------------------|--------------|-----------|----------|
| 55.0" | CTP | MTP545B306A_V1.0 | | 130.76*778.4 | 1207.6*678.4 | USB/UART | USB 4PIN |
| | | MTP55-001-V1 | | 1342.6*813.4 | 1212.*683.4 | USB | USB 5PIN |
| 65.0" | CTP | MTP650GG-01 | | 1476.0*865 | 1440.6*814.6 | USB/UART | USB 4PIN |

Customise Resistive and Capacitive Touch Panels as you requirements

Customise AG, AR, AF, AS, Cover lens.

邁高達科技有限公司
Microtech Technology Co.,Ltd.
香港新界粉嶺安樂街18號安興工業中心5/F樓 505 室
Unit 505,5/F,On Hing Industrial Center,
18 On Kui Street, Fanling,N.T.,HongKong
電話 Tel: (852) 3521 0311 傳真 Fax: (852) 3523 0449
電郵 E-mail: info@microtech-lcd.com
Website: www.microtech-lcd.com

LCD Modules Selection Guide

深圳市邁高達科技有限公司
ShenZhen Microtech Technology Co., Ltd.
深圳市民治街道沙吓村沙吓工业园11栋4楼
4/F, Block 11, Shaxia Industrial Park
LongHua Town, ShenZhen City, Guang Dong
Province,China.
Tel:(86-755) 8372 5193 8372 5037 (Ext.808)
Fax:(86-755) 8372 3887

TFT Controller Board Product List

| Size | Board Type | Part No. | TFT Resolution | Outline Dimension | INTERFACE | Remark |
|------------------|------------|------------------------|-----------------|-------------------|---|------------------------------|
| 2.4" | Controller | MTS5150-24 | 320*240 | 45.02*49.25 | CVBS | 0.5 pitch; 40 PIN |
| 3.5" | Controller | MTS3500 | 320*240 | 76.9*63.9 | CVBS | 0.5 pitch; 54PIN |
| 4.3" | Controller | MTD06C-V01 | 480*272 | 52.0*37.5 | CVBS | 40 PIN |
| 5.0" | Controller | MT-MD057BC-V02 | 480*272 | 115*90 | AV+VGA+YPBR to RGB/TTL | 50PIN and 60 PIN |
| 5.6" | Controller | MT-MD057BC-V02 | | 115*90 | VGA/YPBR/VIDEO to RGB/TTL | 50PIN and 60 PIN |
| 6.2" | Controller | MT-MD057BC-V02 | | 115*90 | VGA/YPBR/VIDEO to RGB/TTL | 50PIN and 60 PIN |
| 5.0" - 10.1" | | MT-MD057BC-V02 | Up to 1280*800 | 115*90 | VGA/YPBR/VIDEO to RGB/TTL | 50PIN and 60 PIN |
| 5.0" to 10.1" | | MTMI53A-V01 | Up to 1920*1080 | 104*64 | HDMI, VGA, AV to TTL/LVDS | 40 Pin and 50 Pin |
| 7.0" - 10.1" | | MT-RUA-C-171024 | Up to 1920*1080 | 110.6*63.4 | HDMI+VGA+AV+USB to LVDS | USB Media Player;40 Pin LVDS |
| 7.0" to 10.1" | | MD-ADP-070 | 7.0 to 10.1" | 110*70 | Media Player Board/ 50 PIN TTL, LVDS | |
| 5.0" to 10.1" | | MTX8SL-V3.0 | Up to 1280*800 | 110*70 | Media Player Board/TTL, LVDS | USB, SD Card Plung&Player |
| 7.0" | Controller | MT-HDMI_DSI | | 60*60 | HDMI to MIPI | |
| 5.0" | Controller | MT-HDMI_DSI | | 60*60 | HDMI to MIPI | |
| 5.0", 7.0"-17.0" | | MT-MIPIBase-V1.11 | Up to 4096*2160 | 74.0*77.0 | HDMI to MIPI 720*1280; 800*1920; 1080*1920; 1920*1200 | |
| 11.6" - 32.0" | | MT-V2959-UHV-EDP | Up to 2560*1600 | 79.5*62.3 | HDMI, VGA, USB to EDP | |
| | | MT-2556HV-EDP-V1.1 | | 109.5*51.2 | HDMI, VGA to EDP | |
| | | MT-2556PD-EDP-V1.0 | | 66.5*58.2 | HDMI, VGA to EDP | Slim |
| 5.0" - 23.5" | | MT-EDP01S | Up to 2560*1600 | 46.0*40.0 | LVDS to EDP Converter Board | |
| 7.0" | Controller | MT-AT070-N1 | | 67.1*65.8 | CVBS | 0.5pitch 50PIN |
| 7.0" | Controller | MT-HD080AT | | 128*85*28 | VGA/HDMI /CVBS to 40 Pin/50 Pin/TTL/RGB | |
| 7.0" | Controller | MT-HD156AU | | 120.0*85.0*16 | HDMI /VGA to LVDS/TTL | |
| 8.0" | Controller | MT-HD156AU | | 120.0*85.0*16 | HDMI /VGA to LVDS/TTL | |
| 8.0" | Controller | MT-D080SDI | | 128*85*23 | CVBS/SDI toLVDS/TTL | |
| 9.0" | Controller | MT-HD156AU | | 120.0*85.0*16 | HDMI /VGA to LVDS/TTL | |
| 10.1" | Controller | MT-HD156AU | | 120.0*85.0*16 | HDMI /VGA to LVDS/TTL | |
| 10.2" | Controller | MT-D102AT-AT102TN03V.9 | | 128.8*85.4*16 | VGA/VIDEO to RGB/TTL | |
| 10.4" | Controller | MT-A104LSA | | 67.1*65.8 | VGA/YPBR/VIDEO to RGB/TTL | 0.5pitch 60PIN |
| 12.1" | Controller | MT-HD156AU | | 120.0*85.0*16 | HDMI /VGA to LVDS/TTL | |
| 13.3" | Controller | MT-HD156AU | | 120.0*85.0*16 | HDMI /VGA to LVDS/TTL | |
| | TCON Boa | MT-TCON | | 105*60*16 | LVDS /TTL | 40 Pin to 50 Pin |
| | CCFL Boar | MT104SL5-INV | | 99.98*39*12 | DC to AC Converter Board | DC 12V in / AC 500V op |
| | USB Board | MTP-4500UG | | 58*20*1.6 | Serials Touch Screen Controller | 4 Pin to USB |

Add NTSC, PAL, VGA, HDMI Conversion Board and T-Con Board

Custmise the luminance of LED backlight for particular models and FPC Length

Send us your requirements for engineering evaluation email: info@microtech-lcd.com

邁高達科技有限公司
Microtech Technology Co.,Ltd.
香港新界粉嶺安厝街18號安興工業中心5/F樓 505 室
Unit 505,5/F, On Hing Industrial Center,
18 On Kui Street, Fanling,N.T.,HongKong
電話 Tel: (852) 3521 0311 傳真 Fax: (852) 3523 0449
電郵 E-mail: info@microtech-lcd.com
Website: www.microtech-lcd.com

LCD Modules Selection Guide

深圳市邁高達科技有限公司
ShenZhen Microtech Technology Co., Ltd.
深圳市民治街道沙吓村沙吓工业园11栋4楼
4/F, Block 11, Shaxia Industrial Park
LongHua Town, ShenZhen City, Guang Dong
Province,China.
Tel:(86-755) 8372 5193 8372 5037 (Ext.808)
Fax:(86-755) 8372 3887

E-Papers

| Screen Diagonal | Type | Part number | Number of Colors | Outline Dimension | Active Area | Interface | Driver IC | Application |
|-----------------|---------|-------------|------------------|-------------------|--------------|-----------|----------------------|--------------|
| Inch | E-Paper | Unit | - | mm | mm | - | - | |
| 1.54" | E-Paper | MTE0154A-05 | 2 (B/W) | 31.8x36.32 | 27.6 x 27.6 | SPI | SSD1608 | Wearable\ESL |
| 1.5" | E-Paper | MTE0154A-09 | 2 (B/W) | 31.8x37.32 | 27.0x 27.0 | SPI | SSD1675A | Wearable\ESL |
| 1.5" | E-Paper | MTE0154A-07 | 3 (B/W/R) | 31.8x37.32 | 27.0x 27.0 | SPI | SSD1675A | Wearable\ESL |
| 2.13" | E-Paper | MTE0213A-01 | 2 (B/W) | 29.2x59.2 | 23.8x 48.55 | SPI | SSD1673 | ESL |
| 2.13" | E-Paper | MTE0213A-20 | 3 (B/W/R) | 29.2x59.2 | 23.8x 48.55 | SPI | SSD1675A | |
| 2.13" | E-Paper | MTE0213A-22 | 3 (B/W/R) | 29.2x59.2 | 23.8x 48.55 | SPI | SSD1675A | |
| 2.1" | E-Paper | MTE0213A-09 | 2 (B/W) | 29.2x59.2 | 22.92x 47.76 | SPI | SSD1675A | ESL |
| 2.1" | E-Paper | MTE0213A-07 | 3 (B/W/R) | 29.2x59.2 | 22.92x 47.76 | SPI | SSD1675A | ESL |
| 2.1" | E-Paper | MTE0213A-18 | 2 (B/W) | 29.2x59.2 | 22.92x 47.76 | SPI | SSD1675A | ESL |
| 2.13" | E-Paper | MTE0213S-01 | 2 (B/W) | 60.0x 29.50 | 55.1 x 21.15 | IIC | UC8119C | ESL |
| 2.9" | E-Paper | MTE029A-01 | 2 (B/W) | 36.7x79 | 29.1x66.85 | SPI | SSD1608 | ESL |
| 2.9" | E-Paper | MTE029A-12 | 2 (B/W) | 36.7x 79 | 29.06x66.90 | SPI | SSD1675A | ESL |
| 2.9" | E-Paper | MTE029A-10 | 3 (B/W/R) | 36.7x 79 | 29.06x66.90 | SPI | SSD1675A | ESL |
| 2.9" | E-Paper | MTE029A-14 | 3(B/W/R) | 36.7x79 | 29.06x66.90 | SPI | SSD1675A | ESL |
| 4.2" | E-Paper | MTE042A-09 | 2 (B/W) | 77x 91 | 63.60x84.80 | SPI | SSD1619 | ESL |
| 4.2" | E-Paper | MTE042A-07 | 3 (B/W/R) | 77x 91 | 63.60x84.80 | SPI | SSD1619 | ESL |
| 7.5" | E-Paper | MTE075A-01 | 3 (B/W/R) | 111.2x 170.2 | 97.92x163.20 | SPI | UC8159 | ESL |
| 7.5" | E-Paper | MTE075A-02 | 2 (B/W) | 111.2x 170.2 | 97.92x163.20 | SPI | UC8159 | ESL |
| 7.75" | E-Paper | MTE0775S-05 | 2 (B/W) | 95.54x 196.49 | 81.54x179.40 | IIC | DM130120 | ESL |
| 7.75" | E-Paper | MTE0775S0-4 | 2 (B/W) | 95.54x 196.49 | 81.54x179.40 | IIC | DM130120 | ESL |
| 10.8" | E-Paper | MTE108S-03 | 2 (B/W) | 126.10x269.90 | 112.0x251.0 | IIC | DM130120 | ESL |
| 11.5" | E-Paper | MTE115A-61 | 2(B/W) | 135.67x287 | 113x270 | SPI | EK3513BCGB*2+EK73601 | ESL |

邁高達科技有限公司
 Microtech Technology Co.,Ltd.
 香港新界粉嶺安樂街18號安興工業中心5/F樓 505 室
 Unit 505,5/F,On Hing Industrial Center,
 18 On Kui Street, Fanling,N.T.,HongKong
 電話 Tel: (852) 3521 0311 傳真 Fax: (852) 3523 0449
 電郵 E-mail: info@microtech-lcd.com
 Website: www.microtech-lcd.com

**LCD Modules
 Selection Guide**

深圳市邁高達科技有限公司
 ShenZhen Microtech Technology Co., Ltd.
 深圳市民治街道沙吓村沙吓工业园11栋4樓
 4/F, Block 11, Shaxia Industrial Park
 LongHua Town, ShenZhen City, Guang Dong
 Province,China.
 Tel:(86-755) 8372 5193 8372 5037 (Ext.808)
 Fax:(86-755) 8372 3887

TFT Display for iPhone, iPad, Samsung 3G Android Smart Phone, Tablet PC Product List

| Part No. | LCD Type | Outline Dimension | Remark | | |
|---------------------------------|----------|-------------------------------|---------------|--|---------------|
| iPad1 | TFT | 9.7" LCD panel for iPad 1 | LP097X02-SLAA | | LG Display |
| iPad2 | TFT | 9.7" LCD panel for iPad 2 | LP097X02-SLQ1 | | LG Display |
| iPad3 | TFT | 9.7" LCD Panel for iPad 3 | MTF0970QXGA | | Sharp Display |
| iPhone 4 | TFT | 3.54" LCD panel for iPhone 4 | LH350WS1-SD01 | | LG Display |
| iPhone 4S | TFT | 3.54" LCD panel for iPhone 4S | LH350WS1-SD02 | | LG Display |
| iPod Nanon | TFT | 2.19" LCD panel for iPod Nano | LH219WQ1-ED01 | | LG Display |
| Apple MacBook | TFT | 13.3" for Apple MacBook | LP133WX2 | | LG Display |
| Iphong 5s/5c LCD | | | | | |
| Iphone 5 LCD | | | | | |
| Iphone 4/4s LCD | | | | | |
| Samsung S4/i9500 LCD with frame | | | | | |
| Samsung S3/i9300 LCD with frame | | | | | |